

SONIC LOG

Company		MAI OIL OPERATIONS, INC.	
Well	HAWKER#1		
Field	TRAPP		
County	RUSSELL	State	KANSAS
Location:		API # : 15-167-24102-0000 NE-SE-SW-SE 625' FSL & 1625' FEL	
Permanent Datum		GROUND LEVEL Elevation 1856	
Log Measured From		KELLY BUSHING 9' A.G.L.	
Drilling Measured From		KELLY BUSHING	
SEC 27 TWP 15S RGE 13W		Elevation K.B. 1865 D.F. 1863 G.L. 1856	
Date	07/15/20		
Run Number	TWO		
Depth Driller	3410		
Depth Logger	3410		
Bottom Logged Interval	3400		
Top Log Interval	00		
Casing Driller	8 5/8" @ 521		
Casing Logger	521		
Bit Size	7 7/8"		
Type Fluid in Hole	CHEMICAL MUD		
Density / Viscosity	9.3/41		
pH / Fluid Loss	9.0/11.2		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	.9@ 82F		
Rmf @ Meas. Temp	.68@ 82F		
Rmc @ Meas. Temp	1.08 @ 82F		
Source of Rmf / Rmc	MEASURED		
Rm @ BHT	.66@ 111F		
Time Circulation Stopped	2 HOURS		
Time Logger on Bottom	////		
Maximum Recorded Temperature	111F		
Equipment Number	1523		
Location	HAYS, KANSAS		
Recorded By	GUS PFANENSTIEL		
Witnessed By	JIM MUSGROVE		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE, HAYS, KS. (785) 628-6395


DIRECTIONS:RUSSELL SOUTH TO MICHAELIS RD., 5 EAST NORTH INTO.




MAIN PASS

Database File	4695ddn.db
Dataset Pathname	pass1LAS
Presentation Format	_slt
Dataset Creation	Wed Jul 15 16:00:57 2020
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
-100	SP (mV)	100	TBHV	0	ITT (msec)	20
			0 (ft3) 10			






200

250

300

350

400





100


450

500

550

600







650

700

750

800






850


900

950

1000

1050







1100

1150

1200

1250






1300



1350


1400

1450

1500









1750

1800

1850

1900






1950


2000

2050

2100

2150







2200

2250

2300

2350






2400



2450


2500

2550

2600









2850

2900

2950

3000






3050


3100

3150

3200

3250






REPEAT SECTION

Database File 4695ddn.db
 Dataset Pathname pass4.1
 Presentation Format _slt
 Dataset Creation Wed Jul 15 15:18:54 2020
 Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
0	MINMK	20	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
6	CALIPER (in)	16	TBHV	0	ITT (msec)	20
			0 (ft3) 10			



[illegible]