



MICRO LOG

Company		MAI OIL OPERATIONS, INC.	
Well		HOLMES #4	
Field		BARRY EAST	
County		ROOKS	
State		KANSAS	
Location:		API # : 15-163-24414-0000 SE-NW-NW-NW 390' FNL & 410' FWL	
Permanent Datum		GROUND LEVEL Elevation 2062	
Log Measured From		KELLY BUSHING 9' A.G.L.	
Drilling Measured From		KELLY BUSHING	
SEC 5		TWP 9S RGE 18W	
Elevation		K.B. 2071 D.F. 2069 G.L. 2062	
Date	09/22/20		
Run Number	TWO		
Depth Driller	3596		
Depth Logger	3596		
Bottom Logged Interval	3576		
Top Log Interval	2800		
Casing Driller	8 5/8" @ 215		
Casing Logger	215		
Bit Size	7 7/8"		
Type Fluid in Hole	CHEMICAL MUD		
Density / Viscosity	9.4/48		
pH / Fluid Loss	8.0/9.6		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	.95 @ 72F		
Rmf @ Meas. Temp	.71 @ 72F		
Rmc @ Meas. Temp	1.14 @ 72F		
Source of Rmf / Rmc	MEASURED		
Rm @ BHT	.61 @ 112F		
Time Circulation Stopped	2 HOURS		
Time Logger on Bottom	////		
Maximum Recorded Temperature	112F		
Equipment Number	1523		
Location	HAYS, KANSAS		
Recorded By	GUS PFANENSTIEL		
Witnessed By	JAMES MUSGROVE		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE, HAYS, KS. (785) 628-6395


DIRECTIONS: PLAINVILLE NORTH TO S RD., WEST TO 14 RD.,
1/4 SOUTH, EAST INTO.




MAIN PASS

Database File	5028ddn.db
Dataset Pathname	pass5MIC
Presentation Format	_micro
Dataset Creation	Tue Sep 22 09:10:06 2020
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3)	10		






3000



3050


3100

3150

3200







Database File 5028ddn.db
Dataset Pathname pass4.1
Presentation Format _micro
Dataset Creation Tue Sep 22 09:08:12 2020
Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3)	10		

