



SONIC LOG

Company EAGLE CREEK CORPORATION
Well CAMPBELL #1-2
Field WILDCAT
County FINNEY State KANSAS

Location: API # : 15-055-22536-0000
2305' FSL & 2250' FWL
SW - NE - NE - SW
SEC 2 TWP 21S RGE 34W
Permanent Datum GROUND LEVEL Elevation 2961
Log Measured From KELLY BUSHING 11' A.G.L.
Drilling Measured From KELLY BUSHING
Other Services
CDL/CNL/PE
DIL/MEL
Elevation
K.B. 2972
D.F. 2970
G.L. 2961

Date	9/13/20		
Run Number	TWO		
Depth Driller	4885		
Depth Logger	4887		
Bottom Logged Interval	4879		
Top Log Interval	200		
Casing Driller	8 5/8"@268'		
Casing Logger	268		
Bit Size	7 7/8"		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 3,400 PPM	
Density / Viscosity	9.1/53		
pH / Fluid Loss	10.5/7.2		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	.820@80F		
Rmf @ Meas. Temp	.615@80F		
Rmc @ Meas. Temp	.984@80F		
Source of Rmf / Rmc	MEASUREMENT		
Rm @ BHT	.529@124F		
Time Circulation Stopped	4.5 HOURS		
Time Logger on Bottom	9.45 A.M.		
Maximum Recorded Temperature	124F		
Equipment Number	922339		
Location	HAYS, KANSAS		
Recorded By	JEFF LUEBBERS		
Witnessed By	TIM PIERCE		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


THANK YOU FOR USING E.L.I. WIRELINE SERVICES HAYS, KANSAS (785)628-6395
DIRECTIONS
SCOTT CITY, KS., 13S. ON HWY 83 TO (SCOTT/FINNEY COUNTY LINE) 7 1/2 W., 1/2S., E. INTO




MAIN SECTION

Database File	4810pe.db
Dataset Pathname	pass6.8
Presentation Format	slt
Dataset Creation	Sun Sep 13 11:20:18 2020
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
0	MINMK	20	TBHV	0	ITT (msec)	20
			0 (ft3) 10			







400

450

500

550






600


650

700

750

800








850


900

950

1000









1300

1350

1400

1450








1500


1550


1600

1650










2150


2200

2250

2300

2350







2400

2450

2500

2550







2600


2650


2700

2750










3250


3300

3350

3400

3450







3500

3550

3600

3650







3700

3750

3800

3850






3900


3950


4000

4050

4100








4350


4400

4450

4500

4550







4600

4650

4700

4750





REPEAT SECTION

Database File 4810pe.db
 Dataset Pathname pass5.1
 Presentation Format slt
 Dataset Creation Sun Sep 13 09:39:25 2020
 Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
0	MINMK	20	TBHV	0	ITT (msec)	20
			0 (ft3) 10			

