



SONIC LOG

Company	MULL DRILLING COMPANY, INC.	Company	MULL DRILLING COMPANY, INC.
Well	GILLASPIE #1-1	Well	GILLASPIE #1-1
Field	WILDCAT	Field	WILDCAT
County	MORRIS	County	MORRIS
State	KANSAS	State	KANSAS
Location:	API # : 15-127-20602-0000	Other Services	CDL/CNL/PE DIL/MEL
Permanent Datum	GROUND LEVEL	Elevation	1455
Log Measured From	KELLY BUSHING 12' A.G.L.	Elevation	K.B. 1467 D.F. 1465 G.L. 1455
Drilling Measured From	KELLY BUSHING		
SEC 1	TWP 16S	RGE 7E	
Date	10/20/20		
Run Number	TWO		
Depth Driller	2060		
Depth Logger	2059		
Bottom Logged Interval	2051		
Top Log Interval	200		
Casing Driller	8 5/8"@224'		
Casing Logger	224		
Bit Size	7 7/8"		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 940 PPM	
Density / Viscosity	9.4/45		
pH / Fluid Loss	10.5/9.1		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	1.80@78F		
Rmf @ Meas. Temp	1.35@78F		
Rmc @ Meas. Temp	2.16@78F		
Source of Rmf / Rmc	MEASUREMENT		
Rm @ BHT	1.42@99F		
Time Circulation Stopped	9.5 HOURS		
Time Logger on Bottom	7:15 P.M.		
Maximum Recorded Temperature	99F		
Equipment Number	922339		
Location	HAYS, KANSAS		
Recorded By	JEFF LUEBBERS		
Witnessed By	RUSTY MOURNING		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

15-127-20602-0000

Comments

THANK YOU FOR USING E.L.I. WIRELINE SERVICES HAYS, KANSAS (785)628-6395
DIRECTIONS
COUNCIL GROVE, KS., 6W. ON HWY 56 TO "RD. 1400", 2N., 1/4W., N. INTO





MAIN SECTION


Database File	4813pe.db
Dataset Pathname	pass6.1
Presentation Format	slt
Dataset Creation	Tue Oct 20 20:39:59 2020
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)		40	
6	CALIPER (in)	16	10 (ft3)	0	30	SONIC POROSITY (pu)		-10

0	MINMK	20	TBHV	0	ITT (msec)		20	
			0 (ft3)	10				








600


650

700

750

800







850

900

950

1000






1050


1100

1150

1200

1250







1300

1350

1400

1450







1500

1550

1600

1650






1700


1750

1800

1850

1900





REPEAT SECTION

Database File 4813pe.db
 Dataset Pathname pass5.2
 Presentation Format slt
 Dataset Creation Tue Oct 20 19:52:10 2020
 Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (u sec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10

