



SONIC LOG


Company	MULL DRILLING COMPANY, INC.		
Well	#4-10 BOUZIDEN "A"		
Field	WILDCAT		
County	CLARK		
State	KANSAS		
Company	MULL DRILLING COMPANY, INC.		
Well	#4-10 BOUZIDEN "A"		
Field	WILDCAT		
County	CLARK		
State	KANSAS		
Location:	API # : 15-025-21613-0000		
Permanent Datum	GROUND LEVEL	Elevation	2122
Log Measured From	KELLY BUSHING	12' A.G.L.	
Drilling Measured From	KELLY BUSHING		
Date	3/3/20		
Run Number	TWO		
Depth Driller	5570		
Depth Logger	5572		
Bottom Logged Interval	5570		
Top Log Interval	00		
Casing Driller	8 5/8"@610'		
Casing Logger	606		
Bit Size	7 7/8"		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 6,800 PPM	
Density / Viscosity	9.4/57		
pH / Fluid Loss	10.5/8.8		
Source of Sample	FLOWLINE		
Rim @ Meas. Temp	.570@85F		
Rmf @ Meas. Temp	.423@85F		
Rmc @ Meas. Temp	.684@85F		
Source of Rmf / Rmc	MEASUREMENT		
Rim @ BHT	.373@130F		
Time Circulation Stopped	5 HOURS		
Time Logger on Bottom	12:15 P.M.		
Maximum Recorded Temperature	130F		
Equipment Number	922339		
Location	HAYS, KANSAS		
Recorded By	JEFF LUEBBERS		
Witnessed By	KEVIN KESSLER		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


THANK YOU FOR USING ELI WIRELINE HAYS, KANSAS (785) 628-6395
DIRECTIONS
ASHLAND, KS., 1W. ON HWY 160 TO "RD. 16", 5N., E. INTO






MAIN SECTION

Database File: 4533pe.db
Dataset Pathname: pass7.5
Presentation Format: slt
Dataset Creation: Tue Mar 03 15:04:29 2020
Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)		40	
6	CALIPER (in)	16	10 (ft3)	0	30	SONIC POROSITY (pu)		-10
0	MINMK	20	TBHV	0	ITT (msec)		20	
			0 (ft3)	10				









1000


1050

1100

1150










1450


1500


1550

1600












2100


2150

2200

2250









2550



2600


2650

2700











3200

3250

3300

3350






3400


3450

3500

3550

3600








3650


3700

3750

3800









4100

4150

4200

4250







4300

4350

4400

4450






4500


4550

4600

4650

4700








4750


4800

4850

4900









5200


5250

5300

5350







REPEAT SECTION

Database File: 4533pe.db
Dataset Pathname: pass6.1
Presentation Format: slt
Dataset Creation: Tue Mar 03 13:43:31 2020 by Calc SOC 120430
Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)		40	
6	CALIPER (in)	16	10 (ft3)	0	30	SONIC POROSITY (pu)		-10
0	MINMK	20	TBHV	0	ITT (msec)		20	
			0 (ft3)	10				

