



**DUAL INDUCTION
LL3 / GR**

Company	COLT ENERGY, INC
Well	HILL # C5
Field	CENTERVILLE
County	LINN
State	KANSAS

Location:	APL # : 15-107-25342-00-00	Other Services
	NW-SW-NE-SE 1710'FSL & 1192'FEL	HRCDLN
Permanent Datum	SEC 10 TWP 21S RGE 22E	Elevation
Log Measured From	GL	K.B.
Drilling Measured From	GL	D.F.
		G.L. 976

Date	1-19-21
Run Number	ONE
Depth Driller	611
Depth Logger	609
Bottom Logged Interval	607
Top Log Interval	
Casing Driller	8.625 @ 20
Casing Logger	8.625 @ 20
Bit Size	6.75
Type Fluid in Hole	WATER
Density / Viscosity	
pH / Fluid Loss	
Source of Sample	
Rm @ Meas. Temp	
Rmf @ Meas. Temp	
Rmc @ Meas. Temp	
Source of Rmf / Rmc	
Rm @ BHT	
Time Circulation Stopped	
Time Logger on Bottom	10:30
Maximum Recorded Temperature	87
Equipment Number	OW2
Location	HOMINY, OK
Recorded By	MACKEY
Witnessed By	BALLARD

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


OW2-8957
CREW TODAY IS KIDD, FERGUSON
THANK YOU FOR USING OSAGE WIRELINE, INC.




2" INDUCTION / DEVIATION

Database File ow2-8957.db
 Dataset Pathname pass5.1
 Presentation Format mmdil2
 Dataset Creation Tue Jan 19 11:05:14 2021
 Charted by Depth in Feet scaled 1:600

0	GR (GAPI)	150	DEVI	1000	CILD (mmho/m)	0
	SP	0 (deg)	5	1000	CILM (mmho/m)	0
				0	RLL3 (Ohm-m)	50
				0	RILM (Ohm-m)	50
				0	RILD (Ohm-m)	50









5" INDUCTION / DEVIATION

Database File ow2-8957.db
 Dataset Pathname pass5
 Presentation Format mmdil5
 Dataset Creation Tue Jan 19 10:52:46 2021
 Charted by Depth in Feet scaled 1:240

0	Gamma Ray (GAPI)	150	DEVI	0.2	Shallow Resistivity (Ohm-m)	2000	
	Spontaneous Potential		0 (deg)	5	Deep Resistivity (Ohm-m)	2000	
					0.2	Medium Resistivity (Ohm-m)	2000
					DEVI (deg)		







350

400

450


500


2.89

1.18

0.88

3.00





Sensor	Offset (ft)	Schematic	Description	Length (ft)	O.D. (in)	Weight (lb)
ACCY	23.83		ADMYR_TELEMETRY-OSAGE_01 (Refurb01) Admyr Telemetry With Gr, Deviation, ADC board and Pulses Board in it.	3.69	3.25	53.00
ACCX	23.83					
GR	22.65					
FRAMES	21.33					
SSTAT	21.33					
PSTAT	21.33					
ASTAT	21.33					
SP	10.92	DIL-G (5375) Gearhart	21.33	4.00	290.00	
CILD	10.92					
CILM	7.00					
RLL3	1.65					
TR_Mon	0.00					

Dataset: ow2-8957.db: field/well/run1/pass5
 Total length: 25.02 ft
 Total weight: 343.00 lb
 O.D.: 4.00 in