

SONIC LOG

Company	SATCHELL CREEK PETROLEUM, LLC.		
Well	MASTERS #A1-23		
Field	UNNAMED		
County	BUTLER	State	KANSAS
Location:	API # : 15-015-24181-0000		Other Services CDL/CNL/PE DIL/MEL
Permanent Datum	SEC 23 TWP 25S RGE 7E	GROUND LEVEL Elevation	1496
Log Measured From	KELLY BUSHING 6" A.G.L		
Drilling Measured From	KELLY BUSHING		
Elevation		K.B. 1502 D.F. 1500 G.L. 1496	
Date	12/11/22		
Run Number	TWO		
Depth Driller	3208		
Depth Logger	3208		
Bottom Logged Interval	3200		
Top Log Interval	250		
Casing Driller	8 5/8" @ 293		
Casing Logger	293		
Bit Size	7 7/8		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 7.000 PPM	
Density / Viscosity	9.1/44		
pH / Fluid Loss	11.0/6.0		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	1.30 @ 80F		
Rmf @ Meas. Temp	.975 @ 80F		
Rmc @ Meas. Temp	1.56 @ 80F		
Source of Rmf / Rmc	MEASUREMENT		
Rm @ BHT	.954 @ 109F		
Time Circulation Stopped	4 HOURS		
Time Logger on Bottom	6.30 A.M.		
Maximum Recorded Temperature	109F		
Equipment Number	3802		
Location	HAYS, KANSAS		
Recorded By	COLE ROBEN		
Witnessed By	CHRIS LEIKER		


<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395


DIRECTIONS:
FROM ROSALIA, KS GO NORTH 3.5 MILES ON FLINTHILLS ROAD, WEST INTO





MAIN SECTION

Database File	7388pe.db
Dataset Pathname	pass6M
Presentation Format	_slt
Dataset Creation	Sun Dec 11 08:28:08 2022
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
			TBHV	0	ITT (msec)	20
			0 (ft3) 10			








650


700


750

800

850








1100


1150

1200

1250

1300







1350


1400

1450

1500








1750


1800


1850


1900

1950











2450

2500

2550

2600







2650

2700

2750

2800






2850



2900

2950

3000

3050






REPEAT SECTION

Database File 7388pe.db
 Dataset Pathname pass5R
 Presentation Format _slt
 Dataset Creation Sun Dec 11 08:34:10 2022
 Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16		10 (ft3)	0 30	SONIC POROSITY (pu)

TBHV
0 (ft3) 10

ITT (msec)
0 20



[illegible]