

SONIC LOG

Company SATCHELL CREEK PETROLEUM, LLC.
Well PLACE #A1-23
Field UNNAMED
County BUTLER State KANSAS

Location: API #: 15-015-24179-0000
732' FSL & 484' FEL
SW - NE - SE - SE
SEC 23 TWP 25S RGE 7E
Permanent Datum GROUND LEVEL Elevation 1477
Log Measured From KELLY BUSHING 6" A.G.L.
Drilling Measured From KELLY BUSHING
Other Services
CDL/CNL/PE
DIL/MEL
Elevation
K.B. 1482
D.F. 1480
G.L. 1477

Date	11/26/22		
Run Number	TWO		
Depth Driller	3153		
Depth Logger	3147		
Bottom Logged Interval	3139		
Top Log Interval	250		
Casing Driller	8 5/8" @ 263		
Casing Logger	263		
Bit Size	7 7/8		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 3,000 PPM	
Density / Viscosity	9.0/68		
pH / Fluid Loss	11.4/7.2		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	.700 @ 70F		
Rmf @ Meas. Temp	.525 @ 70F		
Rmc @ Meas. Temp	.840 @ 70F		
Source of Rmf / Rmc	MEASUREMENT		
Rm @ BHT	.454 @ 108F		
Time Circulation Stopped	9 HOURS		
Time Logger on Bottom	2:30 A.M.		
Maximum Recorded Temperature	108F		
Equipment Number	3802		
Location	HAYS, KANSAS		
Recorded By	COLE ROBEN		
Witnessed By	CHRIS LEIKER		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395


DIRECTIONS:
FROM ROSALIA, GO NORTH 2.5 MILES ON FLINT HILLS ROAD, WEST INTO




MAIN SECTION

Database File	7381pe.db
Dataset Pathname	pass6.3
Presentation Format	_slt
Dataset Creation	Fri Nov 25 05:21:07 2022
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
			TBHV	0	ITT (msec)	20
			0 (ft3) 10			






450



500


550

600

650









900

950

1000

1050






1100


1150

1200

1250

1300







1350



1400


1450


1500












2200


2250

2300

2350

2400







2450

2500

2550

2600






2650


2700



2750

2800

2850







REPEAT SECTION

Database File 7381pe.db
 Dataset Pathname pass5.1
 Presentation Format _slt
 Dataset Creation Fri Nov 25 05:19:27 2022
 Charted by Depth in Feet scaled 1:240

