



SONIC LOG

Company STEWART PRODUCERS, INC.

Well MORRISON #1-26

Field UNNAMED

County NESS State KANSAS

Location: API # : 15-135-26194-0000

428' FNL & 505' FWL
SE - NW - NW - NW

Other Services
CDL/CNL/PE
DIL/MEL

SEC 26 TWP 19S RGE 26W

Elevation

Company STEWART PRODUCERS, INC.
Well MORRISON #1-26
Field UNNAMED
County NESS
State KANSAS

Permanent Datum GROUND LEVEL Elevation 2609
Log Measured From KELLY BUSHING 7' A.G.L.
Drilling Measured From KELLY BUSHING

K.B. 2616
D.F. 2614
G.L. 2609

Date 11/20/22

Run Number TWO

Depth Driller 4660

Depth Logger 4660

Bottom Logged Interval 4652

Top Log Interval 200

Casing Driller 8 5/8" @ 221'

Casing Logger 223

Bit Size 7 7/8"

Type Fluid in Hole CHEMICAL MUD

Density / Viscosity 9.3/56

pH / Fluid Loss 11.0/7.2

Source of Sample FLOWLINE

Rm @ Meas. Temp 1.50 @ 58F

Rmf @ Meas. Temp 1.13 @ 58F

Rmc @ Meas. Temp 1.80 @ 58F

Source of Rmf / Rmc MEASURED

Rm @ BHT .713 @ 122F

Time Circulation Stopped 4 HOURS

Time Logger on Bottom 9.30 A.M.

Maximum Recorded Temperature 122F

Equipment Number 8916

Location HAYS, KANSAS

Recorded By JEFF LUEBBERS

Witnessed By AARON YOUNG

CHLORIDES: 2.800 PPM

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


THANK YOU FOR USING ELI WIRELINE, HAYS, KS. (785) 628-6395
DIRECTIONS:
NESS CITY, KS., 15W. ON HWY 96 TO "BEELER RD.", 5S. TO "W 80RD.", 1 1/8 E., S. INTO






MAIN SECTION


Database File	6801pe.db
Dataset Pathname	pass7.2
Presentation Format	_slt
Dataset Creation	Sun Nov 20 11:08:32 2022
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
0	MINMK	20	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
6	MELCAL (in)	16	TBHV	0	ITT (msec)	20
			0 (ft3) 10			












850


900

950

1000









1300


1350


1400


1450

















2400


2450


2500


2550


























4150


4200

4250

4300








REPEAT SECTION

Database File 6801pe.db
 Dataset Pathname pass6.3
 Presentation Format _slt
 Dataset Creation Sun Nov 20 10:27:30 2022
 Charted by Depth in Feet scaled 1:240



4500

