

SONIC LOG

Company		WHITE EXPLORATION, INC.	
Well	LAWRENCE #2		
Field	WHELAN WEST		
County	BARBER	State	KANSAS
Location:		API # : 15-007-24445-0000	Other Services CDL/CNL/PE DIL/MEL
Permanent Datum Log Measured From Drilling Measured From		GROUND LEVEL Elevation : 1514 660' FSL & 660' FEL SE - SE SEC 25 TWP 31S RGE 12W KELLY BUSHING	
Date	10/18/22		
Run Number	TWO		
Depth Driller	4580		
Depth Logger	4582		
Bottom Logged Interval	4574		
Top Log Interval	350		
Casing Driller	8 5/8" @ 394		
Casing Logger	394		
Bit Size	7 7/8		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 4.950 PPM	
Density / Viscosity	9.2/53		
pH / Fluid Loss	11.0/7.2		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	1.10 @ 60F		
Rmf @ Meas. Temp	.825 @ 60F		
Rmc @ Meas. Temp	1.32 @ 60F		
Source of Rmf / Rmc	MEASUREMENT		
Rm @ BHT	.545 @ 121F		
Time Circulation Stopped	4 HOURS		
Time Logger on Bottom	1:00 A.M.		
Maximum Recorded Temperature	121F		
Equipment Number	3802		
Location	HAYS, KANSAS		
Recorded By	COLE ROBEN		
Witnessed By	ANDY WHITE		

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395

DIRECTIONS:


TWO MILES NORTH OF MEDICINE LODGE ON HIGHWAY 281, EAST ON WELL ROAD FOR 1/2 MILE,
ONE MILE SOUTH, EAST INTO





MAIN SECTION


Database File	7236pe.db
Dataset Pathname	pass26.7
Presentation Format	_slt
Dataset Creation	Tue Oct 18 03:23:49 2022
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)		40	
6	CALIPER (in)	16	10 (ft3)	0	30	SONIC POROSITY (pu)		-10
			TBHV	0	ITT (msec)		20	
			0 (ft3)	10				











1000

1050

1100

1150






1200


1250


1300


1350


1400















2300


2350


2400


2450

2500










2950



3000


3050

3100

3150









3400


3450


3500

3550

3600








3850


3900

3950

4000

4050






4300


4100

4150

4200

4250








4300

4350

4400

4450







REPEAT SECTION

Database File 7236pe.db
 Dataset Pathname pass25R
 Presentation Format _slt
 Dataset Creation Tue Oct 18 02:44:57 2022
 Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
			TBHV	0	ITT (msec)	20
			0 (ft3) 10			





4300

4350

4400

4450

4500

