



SONIC LOG

Company		WHITE EXPLORATION, INC.	
Well		ABERCROMBIE #1	
Field		UNNAMED	
County		HODGEMAN	
State		KANSAS	
Location:		API # : 15-083-22017-0000	
Permanent Datum		GROUND LEVEL Elevation 2337	
Log Measured From		KELLY BUSHING 7' A.G.L	
Drilling Measured From		KELLY BUSHING	
SEC 13 TWP 23S RGE 24W		Elevation K.B. 2344 D.F. 2342 G.L. 2337	
115' FNL & 360' FWL NE - NW - NW - NW			
Date		10/6/22	
Run Number		TWO	
Depth Driller		4680	
Depth Logger		4672	
Bottom Logged Interval		4664	
Top Log Interval		275	
Casing Driller		8 5/8" @ 305'	
Casing Logger		305	
Bit Size		7 7/8	
Type Fluid in Hole		CHEMICAL MUD	
Density / Viscosity		9.2/59	
pH / Fluid Loss		10.5/6.4	
Source of Sample		FLOWLINE	
Rm @ Meas. Temp		1.20 @ 70F	
Rmf @ Meas. Temp		.900 @ 70F	
Rmc @ Meas. Temp		1.44 @ 70F	
Source of Rmf / Rmc		MEASUREMENT	
Rm @ BHT		.689 @ 122F	
Time Circulation Stopped		4.5 HOURS	
Time Logger on Bottom		11:00 P.M.	
Maximum Recorded Temperature		122F	
Equipment Number		3802	
Location		HAYS, KANSAS	
Recorded By		COLE ROBEN	
Witnessed By		ANDY WHITE	

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395

DIRECTIONS:


FROM SOUTH END OF JETMORE, KANSAS AT 283 AND ROAD L, GO WEST ON ROAD L 1.2 MILES TO ROAD 217, 1 MILE SOUTH ON ROAD 217, EAST INTO







MAIN SECTION


Database File	7229ddn.db
Dataset Pathname	pass8S
Presentation Format	_slt
Dataset Creation	Fri Oct 07 00:53:48 2022
Charted by	Depth in Feet scaled 1:240



0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
			TBHV	0	ITT (msec)	20
			0 (ft3) 10			























1600

1650

1700

1750







1800



1850


1900


1950


























3550


3600

3650

3700

3750







3800


3850

3900

3950








4200


4250

4300

4350

4400





4450


4500


4550

4600

TBHV

5.5" ABHV





REPEAT SECTION

Database File 7229ddn.db
 Dataset Pathname pass6R
 Presentation Format _slt
 Dataset Creation Thu Oct 06 23:50:09 2022
 Charted by Depth in Feet scaled 1:240

