



MICRO LOG

Company		WHITE EXPLORATION, INC.	
Well		ABERCROMBIE #1	
Field		UNNAMED	
County		HODGEMAN	
State		KANSAS	
Location:		API # : 15-083-22017-0000	
Permanent Datum		GROUND LEVEL Elevation 2337	
Log Measured From		KELLY BUSHING 7' A.G.L	
Drilling Measured From		KELLY BUSHING	
SEC 13 TWP 23S RGE 24W		Other Services CDL/CNL/PE DIL/SON	
Elevation		K.B. 2344 D.F. 2342 G.L. 2337	
Date	10/6/22		
Run Number	TWO		
Depth Driller	4680		
Depth Logger	4672		
Bottom Logged Interval	4656		
Top Log Interval	3800		
Casing Driller	8 5/8" @ 305'		
Casing Logger	305		
Bit Size	7 7/8		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 3.500 PPM	
Density / Viscosity	9.2/59		
pH / Fluid Loss	10.5/6.4		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	1.20 @ 70F		
Rmf @ Meas. Temp	.900 @ 70F		
Rmc @ Meas. Temp	1.44 @ 70F		
Source of Rmf / Rmc	MEASUREMENT		
Rm @ BHT	.689 @ 122F		
Time Circulation Stopped	4.5 HOURS		
Time Logger on Bottom	11:00 P.M.		
Maximum Recorded Temperature	122F		
Equipment Number	3802		
Location	HAYS, KANSAS		
Recorded By	COLE ROBEN		
Witnessed By	ANDY WHITE		

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395

DIRECTIONS:


FROM SOUTH END OF JETMORE, KANSAS AT 283 AND ROAD L, GO WEST ON ROAD L 1.2 MILES TO ROAD 217, 1 MILE SOUTH ON ROAD 217, EAST INTO





MAIN SECTION

Database File	7229ddn.db
Dataset Pathname	pass8M
Presentation Format	_micro
Dataset Creation	Fri Oct 07 00:03:49 2022
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0 0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3)	10		








4200


4250

4300

4350

4400





4450

4500


4550



4600

5.5" ABHV

TBHV



MINMK






REPEAT SECTION

Database File 7229ddn.db
 Dataset Pathname pass6R
 Presentation Format _micro
 Dataset Creation Thu Oct 06 23:50:09 2022
 Charted by Depth in Feet scaled 1:240





Calibration Report			
Database File	7229ddn.db		
Dataset Pathname	pass8M		
Dataset Creation	Fri Oct 07 00:03:49 2022		
MICRO_USR Calibration Report			
Serial Number:	070911		
Tool Model:	ProbeL		
Performed:	Wed Oct 05 18:21:21 2022		
Caliper Calibration:	Gain=4.500	Offset=0.380	
References	Low Cal	High Cal	
Readings	8.000	14.000	
	1.451	3.049	
1.5" Calibration:	Gain=45.000	Offset=-0.500	
References	Low Cal	High Cal	
Readings	0.000	20.000	
	0.004	0.843	
2" Calibration:	Gain=40.000	Offset=0.000	
References	Low Cal	High Cal	
Readings	0.000	0.000	
	0.000	0.000	

References		0.000	20.000
Readings		0.021	0.810
Microlog Calibration Report			
Serial-Model:		070911-ProbeL	
Performed:		Sat May 14 04:48:25 2022	
Readings		References	
Results			
	Zero	Cal	
	Zero	Cal	
Normal	0.0002	0.4836	V
Inverse	0.0018	0.6297	V
Caliper	0.0000	1.0000	V
	0.0000	10.0000	Ohm-m
	0.0000	10.0000	Ohm-m
	0.0000	1.0000	in
	20.6908	-0.0051	
	15.9263	-0.0282	
	1.0000	0.0000	
Gamma Ray Calibration Report			
Serial Number:		070558	
Tool Model:		Probe1	
Performed:		Sat Jul 02 05:55:58 2022	
Calibrator Value:		1.0	
Background Reading:		0.0	
Calibrator Reading:		1.0	
Sensitivity:		0.2600	
		GAPI	
		cps	
		cps	
		GAPI/cps	