

SONIC LOG

Company	QUAIL OIL & GAS	Company	QUAIL OIL & GAS
Well	#1-31 KELLER	Well	#1-31 KELLER
Field	WILDCAT	Field	WILDCAT
County	BARBER	County	BARBER
State	KANSAS	State	KANSAS
Location:	API # : 15-007-24441-0000	Other Services CDL/CNL/PE DIL/MEI/FF	
Permanent Datum	GROUND LEVEL	Elevation	1829
Log Measured From	KELLY BUSHING 12' A.G.L.		
Drilling Measured From	KELLY BUSHING		
SEC 31	TWP 30S	RGE 12W	
1845' FSL & 445' FWL			
Date	10/7/22		
Run Number	TWO		
Depth Driller	4844		
Depth Logger	4846		
Bottom Logged Interval	4838		
Top Log Interval	300		
Casing Driller	8 5/8"@311'		
Casing Logger	311		
Bit Size	7 7/8"		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 5,500 PPM	
Density / Viscosity	9.3/57		
pH / Fluid Loss	10.5/8.8		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	.800@75F		
Rmf @ Meas. Temp	.600@75F		
Rmc @ Meas. Temp	.960@75F		
Source of Rmf / Rmc	MEASUREMENT		
Rm @ BHT	.484@124F		
Time Circulation Stopped	5 HOURS		
Time Logger on Bottom	4:15 P.M.		
Maximum Recorded Temperature	124F		
Equipment Number	922339		
Location	HAYS, KANSAS		
Recorded By	JEFF LUEBBERS		
Witnessed By	DAVE BARKER		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

15-007-24441-0000

Comments


THANK YOU FOR USING ELI WIRELINE HAYS, KANSAS (785) 628-6395
DIRECTIONS
SAWYER, KS., 5S. ON HWY 281 TO "ELM MILLS RD.", 1W. TO "MINGONA RD.", 2S., 1E. ALONG
FENCELINE, VEER SOUTH AND TAKE RIGHT FORK





MAIN SECTION

Database File	7089pe.db
Dataset Pathname	pass6.2
Presentation Format	slt
Dataset Creation	Fri Oct 07 18:22:57 2022
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
0	MINMK	20	TBHV	0	ITT (msec)	20
			0 (ft3) 10			









700


750

800

850

900







950

1000

1050

1100






1150


1200

1250

1300

1350







1400

1450

1500

1550







1600

1650

1700

1750






1800


1850


1900

1950

2000








2250


2300

2350

2400

2450







2500

2550

2600

2650








2700


2750


2800


2850













3600

3650

3700

3750









3800


3850


3900


3950















REPEAT SECTION

Database File 7089pe.db
Dataset Pathname pass5.1
Presentation Format slt
Dataset Creation Fri Oct 07 16:42:48 2022
Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
0	MINMK	20	TBHV	0	ITT (msec)	20
			0 (ft3) 10			





4500

4550

4600

4650

