



SONIC LOG

Company BEREXCO, LLC.

Well WHP #1-18

Field MCKINNEY

County MEADE State KANSAS

Location: API #: 15-119-21471-0000

1320' FNL & 1320' FEL
C - NE

SEC 18 TWP 34S RGE 26W

Permanent Datum GROUND LEVEL Elevation 2379
Log Measured From KELLY BUSHING 12' A.G.L.
Drilling Measured From KELLY BUSHING

Other Services
CDL/CNL/PE
DIL/MEL

Elevation

K.B. 2391
D.F. 2389
G.L. 2379

Date 10/3/22

Run Number TWO

Depth Driller 6150

Depth Logger 6162

Bottom Logged Interval 6154

Top Log Interval 1300

Casing Driller 8 5/8" @ 1380'

Casing Logger 1380

Bit Size 7 7/8"

Type Fluid in Hole CHEMICAL MUD

Density / Viscosity 9.3/59

pH / Fluid Loss 9.5/8.8

Source of Sample FLOWLINE

Rm @ Meas. Temp 1.00 @ 77F

Rmf @ Meas. Temp .750 @ 77F

Rmc @ Meas. Temp 1.20 @ 77F

Source of Rmf / Rmc MEASUREMENT

Rm @ BHT .570 @ 136F

Time Circulation Stopped 5 HOURS

Time Logger on Bottom 12:30 P.M.

Maximum Recorded Temperature 135F

Equipment Number 922339

Location HAYS, KANSAS

Recorded By JEFF LUEBBERS

Witnessed By BRYAN BYNOG

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

15-119-21471-0000

Comments

THANK YOU FOR USING ELI WIRELINE HAYS, KANSAS (785) 628-6395
DIRECTIONS
MEADE, KS., 8S. ON BLKTOP TO "RD. V", 14 EAST, SOUTH & EAST & SOUTH TO "RD. BB", 3/4
EAST TO CATTLE GUARD, 3/4 N. INTO





MAIN SECTION

Database File	7087pe.db
Dataset Pathname	pass6.4
Presentation Format	slt
Dataset Creation	Mon Oct 03 14:25:36 2022
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)		40	
6	CALIPER (in)	16	10 (ft3)	0	30	SONIC POROSITY (pu)		-10

0	MINMK	20	TBHV	0	ITT (msec)		20	
			0 (ft3)	10				







1500

1550


1600


1650






1700
1750
1800
1850
1900









2150


2200

2250

2300

2350







2400



2450


2500


2550












3250



3300


3350



3400


3450
















4350


4400

4450

4500

4550







4600

4650

4700

4750








4800


4850

4900

4950









5250

5300

5350

5400






5450


5500

5550

5600

5650







5700


5750

5800

5850










REPEAT SECTION

Database File 7087pe.db
 Dataset Pathname pass5.1
 Presentation Format slt
 Dataset Creation Mon Oct 03 12:49:34 2022
 Charted by Depth in Feet scaled 1:240





0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (uSec/ft)	40
6	CALIPER (in)	16	10 (ft3)	0 30	SONIC POROSITY (pu)	-10
0	MINMK	20	TBHV	0	ITT (msec)	20

	0 (ft3) 10	
--	------------	--