SONIC LOG

Company KNIGHTON OIL COMPANY, INC.
Well #1 CRAWFORD
Field UNNAMED
County TREGO State KANSAS

Company KNIGHTON OIL COMPANY, INC.
Well #1 CRAWFORD
Field UNNAMED
County TREGO
State KANSAS

Location: API # : 15-195-23141-0000
1177' FNL & 2652' FWL
SW - SW - NW - NE
SEC 3 TWP 15S RGE 21W

Other Services
CDL/CNL/PE
DIL/MEL

Permanent Datum GROUND LEVEL Elevation 2088
Log Measured From KELLY BUSHING 7' A.G.L.
Drilling Measured From KELLY BUSHING

Elevation
K.B. 2095
D.F. 2093
G.L. 2088

Date	7/3/22		
Run Number	TWO		
Depth Driller	3960		
Depth Logger	3959		
Bottom Logged Interval	3951		
Top Log Interval	200		
Casing Driller	8 5/8"@200'		
Casing Logger	220		
Bit Size	7 7/8"		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES: 3,000 PPM	
Density / Viscosity	9.2/49		
pH / Fluid Loss	10.0/9.6		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	.510@89F		
Rmf @ Meas. Temp	.383@89F		
Rmc @ Meas. Temp	.612@89F		
Source of Rmf / Rmc	MEASURED		
Rm @ BHT	.391@116F		
Time Circulation Stopped	3.5 HOURS		
Time Logger on Bottom	2:45 P.M.		
Maximum Recorded Temperature	116F		
Equipment Number	8916		
Location	HAYS, KANSAS		
Recorded By	JEFF LUEBBERS		
Witnessed By	KEVIN KESSLER		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments


THANK YOU FOR USING ELI WIRELINE, HAYS, KS. (785) 628-6395
DIRECTIONS:
I-70 & OGALLAH EXIT, 15 S. ON HWY 147 ACROSS DAM TO "RD. Y", 4E., S. INTO


MAIN SECTION


Database File	6704pe.db
Dataset Pathname	pass6.3
Presentation Format	_slt
Dataset Creation	Sun Jul 03 16:20:53 2022
Charted by	Depth in Feet scaled 1:240


0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft) 40
0	MINMK	20	10 (ft3) 0	30	SONIC POROSITY (pu) -10
6	MELCAL (in)	16	TBHV	0	ITT (msec) 20
			0 (ft3) 10		






400
450
500
550



600
650
700
750
800



850
900
950
1000



1050
1100
1150
1200
1250



1300
1350
1400
1450



1500
1550
1600
1650



1700
1750
1800
1850
1900



1950
2000
2050
2100



2150
2200
2250
2300
2350



2400
2450
2500
2550



2600
2650
2700
2750



2800
2850
2900
2950
3000


3050
3100
3150
3200


3250
3300
3350
3400
3450



3500
3550
3600
3650



3700
3750
3800
3850
5.5" ABHV



REPEAT SECTION

Database File	6704pe.db
Dataset Pathname	pass5.2
Presentation Format	_slt
Dataset Creation	Sun Jul 03 16:30:23 2022
Charted by	Depth in Feet scaled 1:240




3850
3900
3950
0 GAMMA RAY (GAPI) 150
0 MINMK 20
6 MELCAL (in) 16
ABHV
10 (ft3) 0
TBHV
0 (ft3) 10
140 DELTA TIME (usec/ft) 40
30 SONIC POROSITY (pu) -10
0 ITT (msec) 20