



MICRO LOG

Company CHOLLA PRODUCTION, LLC
 Well ALBERT #1-3
 Field DIEBOLT EAST
 County TREGO State KANSAS

Location: 2290' FSL & 210' FEL
 API #: 15-191-23135-0000
 SEC 3 TWP 11S RGE 23W
 SE/NE/SE
 Permanent Datum GROUND LEVEL Elevation 2221
 Log Measured From KELLY BUSHING 8' A.G.L
 Drilling Measured From KELLY BUSHING
 Other Services CNU/CDL/PE DIL/SON
 Elevation K.B. 2229 D.F. 2227 G.L. 2221


Date	4/10/22
Run Number	TWO
Depth Driller	3850
Depth Logger	3851
Bottom Logged Interval	3833
Top Log Interval	3000
Casing Driller	248
Casing Logger	248
Bit Size	7 7/8
Type Fluid in Hole	CHEMICAL MUD
Density / Viscosity	9.1/55
PH / Fluid Loss	10.5/5.8
Source of Sample	FLOWLINE
Rm @ Meas. Temp	1.4@66F
Rmt @ Meas. Temp	1.05@66F
Rmc @ Meas. Temp	1.88@66F
Source of Rmf / Rmc	MEASUREMENT
Rm @ BHT	80@115F
Time Circulation Stopped	2 HOURS
Time Logger on Bottom	////
Maximum Recorded Temperature	115F
Equipment Number	3802
Location	HAYS, KANSAS
Recorded By	TJ DREILING
Witnessed By	CHARLIE STURDAVANT

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395
 DIRECTIONS
 -WAKEENEY KANSAS AND HIGHWAY 283 EXIT, -NORTH 8 MILES TO "B" RD,
 -1 1/2 MILES EAST TO TANK BATTERIES ON NORTH SIDE OF ROAD,
 -FOLLOW ROAD NORTH THROUGH PASTURE, - WEST INTO





MAIN SECTION


Database File 6386pe.db
 Dataset Pathname pass6.1
 Presentation Format _micro
 Dataset Creation Mon Apr 11 00:53:46 2022
 Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	40
			TBHV			
			0 (ft3)	10		









LTD 3851


0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	40
			TBHV			
			0 (ft3)	10		




MAIN SECTION

Database File 6386pe.db
Dataset Pathname pass5.1
Presentation Format _micro
Dataset Creation Mon Apr 11 00:45:09 2022
Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	40
			TBHV			
			0 (ft3)	10		





Calibration Report

Database File 6386pe.db
 Dataset Pathname pass6.1
 Dataset Creation Mon Apr 11 00:53:46 2022

MICRO_USR Calibration Report

Serial Number:	070910	
Tool Model:	ProbeL	
Performed:	Sun Jan 23 09:07:22 2022	
Caliper Calibration:	Gain=7.192	Offset=3.002
References	Low Cal 8.000	High Cal 14.000
Readings	0.723	1.557
1.5" Calibration:	Gain=35.000	Offset=1.000
References	Low Cal 0.000	High Cal 20.000
Readings	0.004	1.335
2" Calibration:	Gain=65.000	Offset=-1.000
References	Low Cal 0.000	High Cal 20.000
Readings	0.004	1.029

Microlog Calibration Report

Serial-Model:
Performed:

070910-ProbeL
(Not Performed)

	Readings			References			Results	
	Zero	Cal		Zero	Cal		m	b
Normal	0.0000	1.0000	V	0.0000	1.0000	Ohm-m	1.0000	0.0000
Inverse	0.0000	1.0000	V	0.0000	1.0000	Ohm-m	1.0000	0.0000
Caliper	0.0000	1.0000	V	0.0000	1.0000	in	1.0000	0.0000

Gamma Ray Calibration Report

Serial Number: 070558
Tool Model: Probe1
Performed: Fri Oct 30 21:32:56 2020

Calibrator Value: 1.0 GAPI

Background Reading: 0.0 cps
Calibrator Reading: 1.0 cps

Sensitivity: 0.2700 GAPI/cps