

## MICRO LOG

|                              |                                                                          |                                     |                        |
|------------------------------|--------------------------------------------------------------------------|-------------------------------------|------------------------|
| Company                      | CASTLE RESOURCES, INC.                                                   | Company                             | CASTLE RESOURCES, INC. |
| Well                         | ARMBRISTER "A" #1                                                        | Well                                | ARMBRISTER "A" #1      |
| Field                        | MARCOTTE                                                                 | Field                               | MARCOTTE               |
| County                       | ROOKS                                                                    | County                              | ROOKS                  |
| State                        | KANSAS                                                                   | State                               | KANSAS                 |
| Location:                    | API # : 15-163-24454-0000<br>1850' FNL & 2310' FWL<br>S/2 - NE - SE - NW | Other Services<br>CDL/CNL<br>DIL    |                        |
| Permanent Datum              | GROUND LEVEL                                                             | Elevation                           | 2164                   |
| Log Measured From            | KELLY BUSHING 5' A.G.L.                                                  | K.B. 2169<br>D.F. 2167<br>G.L. 2164 |                        |
| Drilling Measured From       | KELLY BUSHING                                                            |                                     |                        |
| SEC 35 TWP 10S RGE 20W       |                                                                          |                                     |                        |
| Date                         | 7/24/22                                                                  |                                     |                        |
| Run Number                   | THREE                                                                    |                                     |                        |
| Depth Driller                | 3840                                                                     |                                     |                        |
| Depth Logger                 | 3840                                                                     |                                     |                        |
| Bottom Logged Interval       | 3838                                                                     |                                     |                        |
| Top Log Interval             | 3300                                                                     |                                     |                        |
| Casing Driller               | 8 5/8"@210'                                                              |                                     |                        |
| Casing Logger                | 210                                                                      |                                     |                        |
| Bit Size                     | 7 7/8"                                                                   |                                     |                        |
| Type Fluid in Hole           | CHEMICAL MUD                                                             | CHLORIDES 5,000 PPM                 |                        |
| Density / Viscosity          | 9.1/41                                                                   |                                     |                        |
| pH / Fluid Loss              | 9.5/8.8                                                                  |                                     |                        |
| Source of Sample             | FLOWLINE                                                                 |                                     |                        |
| Rm @ Meas. Temp              | 1.20@80F                                                                 |                                     |                        |
| Rmf @ Meas. Temp             | .900@80F                                                                 |                                     |                        |
| Rmc @ Meas. Temp             | 1.44@80F                                                                 |                                     |                        |
| Source of Rmf / Rmc          | MEASUREMENT                                                              |                                     |                        |
| Rm @ BHT                     | .793@121F                                                                |                                     |                        |
| Time Circulation Stopped     | 5 HOURS                                                                  |                                     |                        |
| Time Logger on Bottom        | 4.45 P.M.                                                                |                                     |                        |
| Maximum Recorded Temperature | 121F                                                                     |                                     |                        |
| Equipment Number             | 922339                                                                   |                                     |                        |
| Location                     | HAYS, KANSAS                                                             |                                     |                        |
| Recorded By                  | JEFF LUEBBERS                                                            |                                     |                        |
| Witnessed By                 | SEAN DEENIHAN                                                            |                                     |                        |

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

15-163-24454-0000

Comments


THANK YOU FOR USING ELI WIRELINE HAYS, KANSAS (785) 628-6395  
DIRECTIONS  
PALCO, KS., S. TO "N. COUNTY LINE RD.", 1E., 1N., W. INTO THEN BACK SOUTH






# MAIN SECTION

|                     |                            |
|---------------------|----------------------------|
| Database File       | 6340ddn.db                 |
| Dataset Pathname    | pass12.3                   |
| Presentation Format | micro                      |
| Dataset Creation    | Sun Jul 24 16:35:05 2022   |
| Charted by          | Depth in Feet scaled 1:240 |

|   |             |     |          |    |               |    |
|---|-------------|-----|----------|----|---------------|----|
| 0 | GR (GAPI)   | 150 | ABHV     | 0  | MEL20 (Ohm-m) | 40 |
| 6 | MELCAL (in) | 16  | 10 (ft3) | 0  | MEL15 (Ohm-m) | 40 |
|   |             |     | ABHV     |    |               |    |
|   |             |     | 0 (ft3)  | 10 |               |    |








# REPEAT SECTION

Database File 6340ddn.db  
 Dataset Pathname pass11.1  
 Presentation Format micro  
 Dataset Creation Sun Jul 24 16:15:09 2022  
 Charted by Depth in Feet scaled 1:240

|   |             |     |          |   |               |    |
|---|-------------|-----|----------|---|---------------|----|
| 0 | GR (GAPI)   | 150 | ABHV     | 0 | MEL20 (Ohm-m) | 40 |
| 6 | MELCAL (in) | 16  | 10 (ft3) | 0 | MEL15 (Ohm-m) | 40 |



|   |             |    |          |    |   |                 |    |
|---|-------------|----|----------|----|---|-----------------|----|
| 0 | MELCAL (in) | 10 | 10 (ft3) | 0  | 0 | MELTS (Gin/Fin) | 40 |
|   |             |    | ABHV     |    |   |                 |    |
|   |             |    | 0 (ft3)  | 10 |   |                 |    |

|                              |                          |               |  |
|------------------------------|--------------------------|---------------|--|
| Calibration Report           |                          |               |  |
| Database File                | 6340ddn.db               |               |  |
| Dataset Pathname             | pass12.3                 |               |  |
| Dataset Creation             | Sun Jul 24 16:35:05 2022 |               |  |
| MICRO Calibration Report     |                          |               |  |
| Serial Number:               | 070910                   |               |  |
| Tool Model:                  | ProbeN                   |               |  |
| Performed:                   | Mon May 02 13:47:09 2022 |               |  |
| Caliper Calibration:         | Gain=5.479               | Offset=-0.438 |  |
|                              | Low Cal                  | High Cal      |  |
| References                   | 8.000                    | 16.000        |  |
| Readings                     | 1.540                    | 3.000         |  |
| 1.5" Calibration:            | Gain=12.000              | Offset=0.800  |  |
|                              | Low Cal                  | High Cal      |  |
| References                   | 0.000                    | 20.000        |  |
| Readings                     | 0.000                    | 1.216         |  |
| 2" Calibration:              | Gain=35.000              | Offset=-0.300 |  |
|                              | Low Cal                  | High Cal      |  |
| References                   | 0.000                    | 20.000        |  |
| Readings                     | 0.002                    | 1.053         |  |
| Gamma Ray Calibration Report |                          |               |  |
| Serial Number:               | 070558                   |               |  |
| Tool Model:                  | OPEN_GR                  |               |  |
| Performed:                   | Sat Apr 23 03:38:55 2022 |               |  |
| Calibrator Value:            | 1.0                      | GAPI          |  |
| Background Reading:          | 0.0                      | cps           |  |
| Calibrator Reading:          | 1.0                      | cps           |  |
| Sensitivity:                 | 0.3000                   | GAPI/cps      |  |