



SONIC LOG

Company PLATEAU OPERATING CORPORATION
Well WEAVER #1-15
Field NA
County HAMILTON State KANSAS

Location: API # : 15-075-20910-0000
1320' FNL & 1320' FWL
SEC 15 TWP 25S RGE 40W
Permanent Datum GROUND LEVEL Elevation 3351
Log Measured From KELLY BUSHING 7' A.G.L.
Drilling Measured From KELLY BUSHING
Other Services
CNL/CDL/PE
DIL/MEL
Elevation
K.B. 3358
D.F. 3356
G.L. 3351

Date	2/15/22		
Run Number	ONE		
Depth Driller	2675		
Depth Logger	2673		
Bottom Logged Interval	2663		
Top Log Interval	800		
Casing Driller	8 5/8" @ 822		
Casing Logger	822		
Bit Size	7 7/8		
Type Fluid in Hole	CHEMICAL MUD		
Density / Viscosity	9.0/38		
pH / Fluid Loss	7.6/6.4		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	.75@70F		
Rmf @ Meas. Temp	.56@70F		
Rmc @ Meas. Temp	.9@70F		
Source of Rmf / Rmc	MEASUREMENT		
Rm @ BHT	.50@104		
Time Circulation Stopped	2 HOURS		
Time Logger on Bottom	////		
Maximum Recorded Temperature	104F		
Equipment Number	3802		
Location	HAYS, KANSAS		
Recorded By	JASON CAPPELLUCCI	TJ DREILING	
Witnessed By	JIM WELCH		


<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395
DIRECTIONS


SYRACUSE, KS. - 5 SOUTH TO RD. 27 - 2 MILES EAST - SOUTH INTO




MAIN SECTION

Database File	6240pe.db
Dataset Pathname	pass6.1
Presentation Format	_slt
Dataset Creation	Tue Feb 15 23:14:53 2022
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)		40	
6	CALIPER (in)	16	10 (ft3)	0	30	SONIC POROSITY (pu)		-10
			TBHV	0	ITT (msec)		20	
			0 (ft3)	10				







1000

1050

1100

1150






1200


1250


1300


1350

1400











1900



1950



2000

2050









REPEAT SECTION

Database File 6240pe.db
Dataset Pathname pass5.1
Presentation Format _slt
Dataset Creation Tue Feb 15 22:58:29 2022
Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
			TBHV	0	ITT (msec)	20
			0 (ft3) 10			

