



SONIC LOG


Company		K&N PETROLEUM, INC.	
Well		SCHLESSIGER #3-1	
Field		CLAFLIN	
County		BARTON	
State		KANSAS	
Location:		API # : 15-009-26326-0000	
Permanent Datum		GROUND LEVEL Elevation 1799	
Log Measured From		KELLY BUSHING 10' A.G.L	
Drilling Measured From		KELLY BUSHING	
SEC 3		TWP 18S RGE 11W	
1882' FSL & 1461' FWL		Other Services CDL/CNL DIL	
Elevation		K.B. 1809 D.F. 1807 G.L. 1799	
Date	12/1/21		
Run Number	TWO		
Depth Driller	3410		
Depth Logger	3410		
Bottom Logged Interval	3400		
Top Log Interval	350		
Casing Driller	8 5/8" @ 361		
Casing Logger	361		
Bit Size	7 7/8		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 4000 PPM	
Density / Viscosity	9.2/60		
pH / Fluid Loss	9.5/8.8		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	.70 @ 65F		
Rmf @ Meas. Temp	.52 @ 65F		
Rmc @ Meas. Temp	.84 @ 65F		
Source of Rmf / Rmc	MEASUREMENT		
Rm @ BHT	.40 @ 111F		
Time Circulation Stopped	2 HOURS		
Time Logger on Bottom	////		
Maximum Recorded Temperature	111F		
Equipment Number	3802		
Location	HAYS, KANSAS		
Recorded By	JASON CAPELLUCCI		
Witnessed By	JIM MUSGROVE		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395
DIRECTIONS
CLAFLIN, KS. - 3/4 SOUTH - EAST INTO





MAIN SECTION


Database File	6056ddn.db
Dataset Pathname	pass8
Presentation Format	_slt
Dataset Creation	Wed Dec 01 13:06:04 2021
Charted by	Depth in Feet scaled 1:240


0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)		40	
6	CALIPER (in)	16	10 (ft3)	0	30	SONIC POROSITY (pu)		-10
			TBHV	0	ITT (msec)		20	
			0 (ft3)	10				
















1450


1500


1550

1600











2100

2150

2200

2250






2300


2350


2400

2450

2500










2750


2800


2850

2900









REPEAT SECTION

Database File 6056ddn.db
 Dataset Pathname pass7
 Presentation Format _slt
 Dataset Creation Wed Dec 01 12:56:29 2021
 Charted by Depth in Feet scaled 1:240

