



MICRO LOG

Company	CASTLE RESOURCES, INC.		
Well	LATTIN #1		
Field	UNNAMED		
County	OSBORNE	State	KANSAS
Location:	API # : 15-141-20493-0000		Other Services CDL/CNL DIL
Permanent Datum	GROUND LEVEL	Elevation	1670
Log Measured From	KELLY BUSHING 5' A.G.L.		
Drilling Measured From	KELLY BUSHING		
SEC 33	TWP 10S	RGE 13W	
1520' FSL & 365' FEL			
SW - SE - NE - SE			
2/18/22	TWO		
Run Number	3149		
Depth Driller	3148		
Depth Logger	3146		
Bottom Logged Interval	2500		
Top Log Interval	8 5/8"@371'		
Casing Driller	366		
Casing Logger	7 7/8"		
Bit Size	CHEMICAL MUD	CHLORIDES 13,000 PPM	
Type Fluid in Hole	9.2/47		
Density / Viscosity	9.5/12.9		
pH / Fluid Loss	FLOWLINE		
Source of Sample	.290@65F		
Rm @ Meas. Temp	.218@65F		
Rmf @ Meas. Temp	.348@65F		
Rmc @ Meas. Temp	MEASUREMENT		
Source of Rmf / Rmc	.175@108F		
Rm @ BHT	3 HOURS		
Time Circulation Stopped	108F		
Time Logger on Bottom	11:30 P.M.		
Maximum Recorded Temperature	922339		
Equipment Number	HAYS, KANSAS		
Location	JEFF LUEBBERS		
Recorded By	JERRY GREEN		
Witnessed By			

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

15-141-20493-0000

Comments


THANK YOU FOR USING ELI WIRELINE HAYS, KANSAS (785) 628-6395
DIRECTIONS
WALDO, KS., 2E. ON HWY 18 TO "190TH ST.", 1N., 1/2W., 1/2N., W. INTO






MAIN SECTION


Database File	6251ddn.db
Dataset Pathname	pass6.1
Presentation Format	micro
Dataset Creation	Sat Feb 19 00:06:47 2022
Charted by	Depth in Feet scaled 1:240

0	GR (GAPI)	150	ABHV	0	MEL20 (Ohm-m)	40
6	MELCAL (in)	16	10 (ft3)	0	MEL15 (Ohm-m)	40
			ABHV			
			0 (ft3)	10		












REPEAT SECTION

Database File 6251ddn.db
 Dataset Pathname pass5.1
 Presentation Format micro
 Dataset Creation Fri Feb 18 23:46:55 2022
 Charted by Depth in Feet scaled 1:240





Calibration Report

Database File 6251ddn.db
 Dataset Pathname pass6.1
 Dataset Creation Sat Feb 19 00:06:47 2022

MICRO Calibration Report

Serial Number:	070911	
Tool Model:	ProbeN	
Performed:	Sat Feb 19 00:01:38 2022	
Caliper Calibration:	Gain=3.395	Offset=2.976
References	Low Cal	High Cal
Readings	8.000	14.000
	1.480	3.247
1.5" Calibration:	Gain=35.000	Offset=0.500
References	Low Cal	High Cal
Readings	0.000	20.000
	0.001	1.291
2" Calibration:	Gain=40.000	Offset=0.500
References	Low Cal	High Cal
Readings	0.000	20.000
	0.003	1.103
Gamma Ray Calibration Report		
Serial Number:	070558	
Tool Model:	OPEN_GR	
Performed:	Thu Feb 17 10:38:40 2022	
Calibrator Value:	1.0	GAPI
Background Reading:	0.0	cps
Calibrator Reading:	1.0	cps
Sensitivity:	0.2800	GAPI/cps