



SONIC LOG

Company TRIPLE CROWN OPERATING, LLC.

Well NEYSA #1-33

Field

County NESS

State KANSAS

Location: API # : 15-135-26128-0000

2000' FSL & 1870' FEL

SEC 33 TWP 20S RGE 21W

Permanent Datum GROUND LEVEL Elevation 2259
Log Measured From KELLY BUSHING 5' A.G.L.
Drilling Measured From KELLY BUSHING

Other Services
CDL/CNL/PE
DIL/MEL
Elevation
K.B. 2264
D.F. 2262
G.L. 2259

Date 11/20/21

Run Number TWO

Depth Driller 4534

Depth Logger 4534

Bottom Logged Interval 4524

Top Log Interval 1400

Casing Driller 8 5/8" @ 1436

Casing Logger 1436

Bit Size 7 7/8

Type Fluid in Hole CHEMICAL MUD

Density / Viscosity 9.2/50

pH / Fluid Loss 10.0/8.8

Source of Sample FLOWLINE

Rm @ Meas. Temp .70 @ 56F

Rmf @ Meas. Temp .52 @ 56F

Rmc @ Meas. Temp .84 @ 56F

Source of Rmf / Rmc MEASUREMENT

Rm @ BHT .32 @ 212F

Time Circulation Stopped 2 HOURS

Time Logger on Bottom

Maximum Recorded Temperature 121F

Equipment Number 3802

Location HAYS, KANSAS

Recorded By JASON CAPPELLUCCI

Witnessed By SEAN DEENIHAN

CHLORIDES 4000 PPM

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395
DIRECTIONS
BAZINE, KS. - EAST TO RD. GG (CHRIST PILOT ME SIGN) - 12.5 SOUTH - WEST INTO





MAIN SECTION


Database File	6054pe.db
Dataset Pathname	pass6
Presentation Format	_slt
Dataset Creation	Sat Nov 20 07:14:06 2021
Charted by	Depth in Feet scaled 1:240


0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)		40	
6	CALIPER (in)	16	10 (ft3)	0	30	SONIC POROSITY (pu)		-10
			TBHV	0	ITT (msec)		20	
			0 (ft3)	10				


























3150


3200

3250

3300









3600

3650

3700

3750







3800


3850

3900

3950









4250

4300

4350

4400





REPEAT SECTION

Database File 6054pe.db
 Dataset Pathname pass5.1
 Presentation Format _slt
 Dataset Creation Sat Nov 20 07:48:22 2021
 Charted by Depth in Feet scaled 1:240

