



COMPENSATED DENSITY NEUTRON LOG

Company	RH CAPITAL- BEETS, LLC	
Well	ECCO RANCH # I-1	
Field	CLINESMITH	
County	WOODSON	State KANSAS
Location:	API # : 15-207-29805-00-00 NW SW SW SE 450' FSL & 2850' FWL	
Permanent Datum	GL	Elevation 1038
Log Measured From	GL	Other Services ILD
Drilling Measured From	GL	
Date	10-20-21	
Run Number	ONE	
Depth Driller	1316	
Depth Logger	1314	
Bottom Logged Interval	1311	
Top Log Interval	SURFACE	
Casing Driller	8.625" @ 42	
Casing Logger	8.625" @ 42	
Bit Size	6.75"	
Type Fluid in Hole	WATER	
Density / Viscosity		
pH / Fluid Loss		
Source of Sample		
Rm @ Meas. Temp		
Rmf @ Meas. Temp		
Rmc @ Meas. Temp		
Source of Rmf / Rmc		
Rm @ BHT		
Time Circulation Stopped	8:00 AM	
Time Logger on Bottom	10:30 AM	
Maximum Recorded Temperature	89	
Equipment Number	OW2	
Location	HOMINY, OK	
Recorded By	MACKEY	
Witnessed By	MR. LEIS	

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


FILE # OW2-8995 RH CAPITAL
THANK YOU FOR USING OSAGE WIRELINE




5" DENSITY NEUTRON LOG

Database File	ow2-8995 rh capital.db
Dataset Pathname	pass1.3
Presentation Format	mmcdln5
Dataset Creation	Wed Oct 20 11:11:04 2021
Charted by	Depth in Feet scaled 1:240

0	Gamma Ray (GAPI)	150	30	Density Porosity (pu)	-10
4	Bit size (in)	14	30	Neutron Porosity (pu)	-10
4	Density Caliper (in)	14		-0.5	Correction (g/cc) 0.5
				2000	Line Tension (lb) 500






250

300

350

400





450


500

550

600

650







700

750

800

850






900



950

1000

1050

1100







5" COMPENSATED DENSITY

Database Fileow2-8995 rh capital.db

Dataset Pathnamepass1.2

Presentation Formatmmcdl5


Dataset CreationWed Oct 20 11:10:24 2021

Charted byDepth in Feet scaled 1:240

4	Density Caliper (in)	14
0	Gamma Ray (GAPI)	150
4	Bit Size (in)	14

30	Density Porosity (pu)	-10
2	Bulk Density (g/cc)	3
-0.5	Correction (g/cc)	0.5


ABHV (ft3)



50

100


150



197.2

188.0

179.1




200

250

300

350

400




170.5

162.3

153.8

145.7

137.6




450

500

550

600




129.6

121.7

113.8

106.0




650

700

750

800

850




98.1

90.0

81.9

73.5

65.7




900

950

1000

1050




57.9

50.3

43.0

35.5




1100

1150

1200

1250



28.0

20.9

14.2

8.2

