

SONIC
LOG

Company PLATEAU OPERATING CORPORATION
Well SIMON #1-18
Field NA
County HAMILTON State KANSAS

Location: API #: 15-075-20907-0000
1320' FNL & 1320' FWL
SEC 18 TWP 25S RGE 40W
Permanent Datum GROUND LEVEL Elevation 3477
Log Measured From KELLY BUSHING 7' A.G.L.
Drilling Measured From KELLY BUSHING
Other Services
CDL/CNL/PE
DIL/MEL
Elevation
K.B. 3484
D.F. 3482
G.L. 3477

Date	1/29/22	
Run Number	TWO	
Depth Driller	2670	
Depth Logger	2667	
Bottom Logged Interval	2657	
Top Log Interval	800	
Casing Driller	8 5/8" @ 820	
Casing Logger	820	
Bit Size	7 7/8	
Type Fluid in Hole	CHEMICAL MUD	
Density / Viscosity	9.2/36	
pH / Fluid Loss	8.5/10.0	
Source of Sample	FLOWLINE	
Rm @ Meas. Temp	.60 @ 50F	
Rmf @ Meas. Temp	.45 @ 50F	
Rmc @ Meas. Temp	.72 @ 50F	
Source of Rmf / Rmc	MEASUREMENT	
Rm @ BHT	.29 @ 103F	
Time Circulation Stopped	2 HOURS	
Time Logger on Bottom	////	
Maximum Recorded Temperature	103F	
Equipment Number	3802	
Location	HAYS, KANSAS	
Recorded By	JASON CAPPELLUCCI	TJ DREILING
Witnessed By	BILL KERRIGAN	


<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395
DIRECTIONS


SYRACUSE, KS. - 5 SOUTH TO RD. 27 - 1/4 EAST - SOUTH INTO





MAIN SECTION


Database File	6233pe.db
Dataset Pathname	pass7.1
Presentation Format	_slt
Dataset Creation	Sat Jan 29 15:34:35 2022
Charted by	Depth in Feet scaled 1:240


0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
			TBHV	0	ITT (msec)	20
			0 (ft3) 10			













2150


2200


2250

2300

2350







REPEAT SECTION

Database File 6233pe.db
 Dataset Pathname pass6.1
 Presentation Format _slt
 Dataset Creation Sat Jan 29 15:22:44 2022
 Charted by Depth in Feet scaled 1:240

