MICRO LOG

Company JODY OIL & GAS INC.
Well JACK #5
Field SPIVEY-GRABS
County HARPER State KANSAS

Company JODY OIL & GAS INC.
Well JACK #5
Field SPIVEY-GRABS
County HARPER
State KANSAS

Location: API # : 15-077-22187-0000
3290' FEL & 1650' FSL
SW SE NE SW
SEC 19 TWP 31S RGE 8W

Other Services
CDL/CNL
DIL

Elevation
K.B. 1578
D.F. 1576
G.L. 1565

Permanent Datum GROUND LEVEL Elevation 1565
Log Measured From KELLY BUSHING 13' A.G.L
Drilling Measured From KELLY BUSHING

Date	10/1/21		
Run Number	TWO		
Depth Driller	4780		
Depth Logger	4786		
Bottom Logged Interval	4784		
Top Log Interval	2300		
Casing Driller	8 5/8" @ 260		
Casing Logger	260		
Bit Size	7 7/8		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 5000 PPM	
Density / Viscosity	9.3/55		
pH / Fluid Loss	11.0/8.8		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	.85 @ 70F		
Rmf @ Meas. Temp	.63 @ 70F		
Rmc @ Meas. Temp	1.02 @70F		
Source of Rmf / Rmc	MEASUREMENT		
Rm @ BHT	.48 @ 123F		
Time Circulation Stopped	2 HOURS		
Time Logger on Bottom	////		
Maximum Recorded Temperature	123F		
Equipment Number	3802		
Location	HAYS, KANSAS		
Recorded By	JASON CAPPELLUCCI		
Witnessed By	TIM PIERCE		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395


DIRECTIONS


ATTICA, KS. - EAST EDGE OF TOWN "RD. 100" 5 NORTH - 1 WEST - 1 NORTH - 1/2 EAST - NORTH IN


MAIN SECTION


Database File	5859ddn.db
Dataset Pathname	pass6.1
Presentation Format	_micro
Dataset Creation	Fri Oct 01 15:45:23 2021
Charted by	Depth in Feet scaled 1:240


0 GAMMA RAY (GAPI) 150	ABHV	0 MEL1.5 (Ohm-m) 40		
6 CALIPER (in) 16	10 (ft3) 0	0 MEL2.0 (Ohm-m) 40		
	TBHV			
	0 (ft3) 10			






2500
2550
2600
2650



2700
2750
2800
2850
2900



2950
3000
3050
3100



3150
3200
3250
3300
3350



3400
3450
3500
3550



3600
3650
3700
3750


3800
3850
3900
3950
4000


4050
4100
4150
4200


4250
4300
4350
4400
4450


4500
4550
4600
4650





0	GAMMA RAY (GAPI) 150	ABHV		0	MEL1.5 (Ohm-m) 40
6	CALIPER (in) 16	10 (ft3) 0		0	MEL2.0 (Ohm-m) 40
		TBHV			
		0 (ft3) 10			

REPEAT SECTION

Database File	5859ddn.db
Dataset Pathname	pass5.1
Presentation Format	_micro
Dataset Creation	Fri Oct 01 15:38:37 2021
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI) 150	ABHV		0	MEL1.5 (Ohm-m) 40
6	CALIPER (in) 16	10 (ft3) 0		0	MEL2.0 (Ohm-m) 40
		TBHV			
		0 (ft3) 10			




4600
4650
4700
4750
0 GAMMA RAY (GAPI) 150
6 CALIPER (in) 16
ABHV
10 (ft3) 0
TBHV
0 MEL1.5 (Ohm-m) 40
0 MEL2.0 (Ohm-m) 40

0	(ft3)	10

Calibration Report

Database File	5859ddn.db
Dataset Pathname	pass5.1
Dataset Creation	Fri Oct 01 15:38:37 2021

MICRO_USR Calibration Report

Serial Number:	070910	
Tool Model:	ProbeL	
Performed:	Thu Sep 23 20:53:46 2021	
Caliper Calibration:	Gain=7.192	Offset=2.802
	Low Cal	High Cal
References	8.000	14.000
Readings	0.723	1.557
1.5" Calibration:	Gain=60.000	Offset=-0.567
	Low Cal	High Cal
References	0.000	20.000
Readings	0.004	1.335
2" Calibration:	Gain=85.000	Offset=-1.600
	Low Cal	High Cal
References	0.000	20.000
Readings	0.004	1.029

Microlog Calibration Report

Serial-Model:	070910-ProbeL
Performed:	(Not Performed)

	Readings			References			Results	
	Zero	Cal		Zero	Cal		m	b
Normal	0.0000	1.0000	V	0.0000	1.0000	Ohm-m	1.0000	0.0000
Inverse	0.0000	1.0000	V	0.0000	1.0000	Ohm-m	1.0000	0.0000
Caliper	0.0000	1.0000	V	0.0000	1.0000	in	1.0000	0.0000

Gamma Ray Calibration Report

Serial Number:	070558	
Tool Model:	Probe1	
Performed:	Fri Oct 30 21:32:56 2020	
Calibrator Value:	1.0	GAPI
Background Reading:	0.0	cps
Calibrator Reading:	1.0	cps
Sensitivity:	0.2700	GAPI/cps