

SONIC
LOG



Company SIROKY OIL MANAGEMENT
 Well FINCHAM #1-25
 Field BARNES
 County PRATT State KANSAS

Location: API #: 15-151-22529-0000
 335' FSL & 335' FEL
 NW - SE - SE - SE
 Permanent Datum GROUND LEVEL Elevation 1728
 Log Measured From KELLY BUSHING 12' A.G.L.
 Drilling Measured From KELLY BUSHING
 SEC 25 TWP 27S RGE 12W
 Other Services
 CDL/CNL/PE
 DIL/MEL
 Elevation
 K.B. 1740
 D.F. 1738
 G.L. 1728

Date	6/10/21
Run Number	TWO
Depth Driller	4496
Depth Logger	4494
Bottom Logged Interval	4486
Top Log Interval	3300
Casing Driller	10 3/4"@341'
Casing Logger	341
Bit Size	7 7/8"
Type Fluid in Hole	CHEMICAL MUD
Density / Viscosity	9.3/55
PH / Fluid Loss	10.5/12.4
Source of Sample	FLOWLINE
Rm @ Meas. Temp	.420@103F
Rmf @ Meas. Temp	.315@103F
Rmc @ Meas. Temp	.504@103F
Source of Rmf / Rmc	MEASUREMENT
Rm @ BHT	.358@121F
Time Circulation Stopped	4 HOURS
Time Logger on Bottom	10:30 P.M.
Maximum Recorded Temperature	121F
Equipment Number	922339
Location	HAYS, KANSAS
Recorded By	JEFF LUEBBERS
Witnessed By	RYAN DAVIS
	BRIAN SIROKY
	SPENCER SIROKY

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

15-151-22529-0000 Comments


THANK YOU FOR USING ELI WIRELINE HAYS, KANSAS (785) 628-6395
 DIRECTIONS
 PRATT, KS. (HWY 400 & 281) 9E. TO "100TH AVE., N. ACROSS 400 THEN 1W. ON DIRT TO "90TH AVE.", 1N., W. INTO




MAIN SECTION

Database File 5275pe.db
 Dataset Pathname pass6.1
 Presentation Format slt
 Dataset Creation Thu Jun 10 23:44:01 2021
 Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3)	0	SONIC POROSITY (pu)	-10
0	MINMK	20	TBHV	0	ITT (msec)	20
			0 (ft3)	10		







3500

3550

3600

3650






3700


3750


3800


3850

3900










REPEAT SECTION

Database File 5275pe.db
 Dataset Pathname pass5.1
 Presentation Format slt
 Dataset Creation Thu Jun 10 23:19:53 2021
 Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3)	0 30	SONIC POROSITY (pu)	-10
0	MINMK	20	TBHV	0	ITT (msec)	20
			0 (ft3)	10		



0	MINMK	20	TBHV	0	ITT (msec)	20
			0 (ft3) 10			