



COMPENSATED
DENSITY / NEUTRON
PE LOG

Company	JEL RESOURCES, LLC.	Company	JEL RESOURCES, LLC.
Well	WFY OIL & GAS #1-6	Well	WFY OIL & GAS #1-6
Field	N/A	Field	N/A
County	PAWNEE	County	PAWNEE
State	KANSAS	State	KANSAS
Location:	API # : 15-145-21883-0000 750' FSL & 2310' FWL S/2 - NE - SE - SW	Other Services DILMEL SONIC	
Permanent Datum	GROUND LEVEL	Elevation	1982
Log Measured From	KELLY BUSHING 8' A.G.L.		
Drilling Measured From	KELLY BUSHING		
Date	4/6/23		
Run Number	ONE		
Depth Driller	3996		
Depth Logger	3996		
Bottom Logged Interval	3972		
Top Log Interval	2800		
Casing Driller	8 5/8"@1036'		
Casing Logger	1036		
Bit Size	7 7/8"		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 8,000 PPM	
Density / Viscosity	9.3/51		
pH / Fluid Loss	9.5/9.6		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	.500@87F		
Rmf @ Meas. Temp	.375@87F		
Rmc @ Meas. Temp	.600@87F		
Source of Rmf / Rmc	MEASUREMENT		
Rm @ BHT	.375@116F		
Time Circulation Stopped	2.5 HOURS		
Time Logger on Bottom	3:30 P.M.		
Maximum Recorded Temperature	116F		
Equipment Number	922339		
Location	HAYS, KANSAS		
Recorded By	JEFF LUEBBERS		
Witnessed By	JEREMY SCHWATRZ		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

15-145-21883-0000

Comments


THANK YOU FOR USING ELI WIRELINE HAYS, KANSAS (785) 628-6395
DIRECTIONS
LARNED, KS., & K-19, 4 1/2E. ON K-19, N. INTO





MAIN SECTION

Database File	7266pe.db
Dataset Pathname	pass3.1M
Presentation Format	_ldt_neu
Dataset Creation	Thu Apr 06 17:00:56 2023
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	30	COMPENSATED DENSITY (pu)	-10
6	CALIPER (in)	16	10 (ft3) 0	30	COMPENSATED NEUTRON (pu)	-10
0	MINMK	20	TBHV	0	PE	10 -0.25
			0 (ft3) 10			CORRECTION (g/cc) 0.25
					0	LTEN (lb) 5000








3200


3250


3300


3350

3400










REPEAT SECTION

Database File 7266pe.db
 Dataset Pathname pass2.1R
 Presentation Format _ldt_neu
 Dataset Creation Thu Apr 06 17:05:18 2023
 Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	30	COMPENSATED DENSITY (pu)	-10
6	CALIPER (in)	16	10 (ft3)	0	COMPENSATED NEUTRON (pu)	-10
0	MINMK	20	TBHV	0	PE	10
					-0.25	CORRECTION (g/cc)
					0	LTEN (lb)
						5000



6	CALIPER (in)	16	10 (ft3)	0	30	COMPENSATED NEUTRON (pu)			-10
0	MINMK	20	TBHV	0	PE	10	-0.25	CORRECTION (g/cc)	0.25
			0 (ft3)	10			0	LTEN (lb)	5000

Calibration Report									
Database File	7266pe.db								
Dataset Pathname	pass3.1M								
Dataset Creation	Thu Apr 06 17:00:56 2023								
Dual Induction Calibration Report									
Serial-Model:					DIL7-GEAR				
Surface Cal Performed:					Thu Apr 06 16:10:06 2023				
Downhole Cal Performed:					Tue Apr 17 15:38:44 2007				
After Survey Verification Performed:					Tue Apr 17 15:38:40 2007				
Surface Calibration									

Rib Angle	: 43.7	Rib Slope	: 0.957	Density/Spine Ratio	: 0.562
Spine Angle	: 73.7	Spine Slope	: 3.426	Spine Intercept	: -17.2
Before Survey Verification					
Performed Wed Dec 31 18:00:00 1969					
Window 1	0.0	0.0	0.0	0.0	cps
Window 2	0.0	0.0	0.0	0.0	cps
Window 3	0.0	0.0	0.0	0.0	cps
Window 4	0.0	0.0	0.0	0.0	cps
Long Space	0.0	0.0	0.0	0.0	cps
Short Space	0.0	0.0	0.0	0.0	cps
Measured Rho		0.0000	0.0000	0.0000	g/cc
Measured Correction		0.0000	0.0000	0.0000	g/cc
Measured Pe			0.0000	0.0000	
After Survey Verification					
Performed Wed Dec 31 18:00:00 1969					
Window 1	0.0	0.0	0.0	0.0	cps
Window 2	0.0	0.0	0.0	0.0	cps
Window 3	0.0	0.0	0.0	0.0	cps
Window 4	0.0	0.0	0.0	0.0	cps
Long Space	0.0	0.0	0.0	0.0	cps
Short Space	0.0	0.0	0.0	0.0	cps
Measured Rho		0.0000	0.0000	0.0000	g/cc
Measured Correction		0.0000	0.0000	0.0000	g/cc
Measured Pe			0.0000	0.0000	
Compensated Neutron Calibration Report					
Serial Number:		070808PMC			
Tool Model:		NABORS			
PRE-SURVEY VERIFICATION					
Detector	Readings	Measured	Target		
Short Space	cps				
Long Space	cps	pu	pu		
POST-SURVEY VERIFICATION					
Detector	Readings	Measured	Target		
Short Space	cps				
Long Space	cps	pu	pu		
Gamma Ray Calibration Report					
Serial Number:	070558				
Tool Model:	OPEN_GR				
Performed:	Thu Apr 06 15:44:26 2023				
Calibrator Value:	1.0	GAPI			
Background Reading:	0.0	cps			
Calibrator Reading:	1.0	cps			
Sensitivity:	0.3000	GAPI/cps			