



SONIC LOG

Company JEL RESOURCES, LLC.

Well WFY OIL & GAS #1-6

Field N/A

County PAWNEE State KANSAS

Location: API #: 15-145-21883-0000
750' FSL & 2310' FWL
S/2 - NE - SE - SW

Other Services
CDL/CNL/PE
DIL/MEL

SEC 6 TWP 22S RGE 15W

Permanent Datum GROUND LEVEL Elevation 1982
Log Measured From KELLY BUSHING 8' A.G.L.
Drilling Measured From KELLY BUSHING

Elevation
K.B. 1990
D.F. 1988
G.L. 1982

Date 4/6/23

Run Number TWO

Depth Driller 3996

Depth Logger 3996

Bottom Logged Interval 3988

Top Log Interval 1000

Casing Driller 8 5/8"@1036'

Casing Logger 1036

Bit Size 7 7/8"

Type Fluid in Hole CHEMICAL MUD CHLORIDES 8,000 PPM

Density / Viscosity 9.3/51

pH / Fluid Loss 9.5/9.6

Source of Sample FLOWLINE

Rm @ Meas. Temp .500@87F

Rmf @ Meas. Temp .375@87F

Rmc @ Meas. Temp .600@87F

Source of Rmf / Rmc MEASUREMENT

Rm @ BHT .375@116F

Time Circulation Stopped 4 HOURS

Time Logger on Bottom 5:30 P.M.

Maximum Recorded Temperature 116F

Equipment Number 922339

Location HAYS, KANSAS

Recorded By JEFF LUEBBERS

Witnessed By JEREMY SCHWATRZ

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

15-145-21883-0000

Comments


THANK YOU FOR USING ELI WIRELINE HAYS, KANSAS (785) 628-6395
DIRECTIONS
LARNED, KS., & K-19, 4 1/2E. ON K-19, N. INTO




MAIN SECTION

Database File	7266pe.db
Dataset Pathname	pass6.6
Presentation Format	slt
Dataset Creation	Thu Apr 06 18:44:41 2023
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
0	MINMK	20	TBHV	0	ITT (msec)	20
			0 (ft3) 10			







1200

1250

1300

1350






1400


1450


1500


1550


1600














2300


2350


2400


2450





















REPEAT SECTION

REPEAT SECTION

Database File 7266pe.db
 Dataset Pathname pass5.6
 Presentation Format slt
 Dataset Creation Thu Apr 06 18:50:23 2023
 Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
0	MINMK	20	TBHV	0	ITT (msec)	20
			0 (ft3) 10			

