



SONIC LOG


Company	VINCENT OIL CORPORATION	Company	VINCENT OIL CORPORATION
Well	KEOUGH #15-34	Well	KEOUGH #15-34
Field	MULBERRY CREEK	Field	MULBERRY CREEK
County	FORD	County	FORD
State	KANSAS	State	KANSAS
Location:	API # : 15-057-21051-0000 407' FSL & 330' FWL	Other Services CDL/CNL/PE DIL/MEL	
Permanent Datum	SEC 34 TWP 28S RGE 23W	Elevation	
Log Measured From	GROUND LEVEL Elevation 2520	K.B. 2533	
Drilling Measured From	KELLY BUSHING 13' A.G.L. KELLY BUSHING	D.F. 2531	
		G.L. 2520	
Date	6/26/21		
Run Number	TWO		
Depth Driller	5320		
Depth Logger	5320		
Bottom Logged Interval	5310		
Top Log Interval	700		
Casing Driller	8 5/8" @ 703		
Casing Logger	703		
Bit Size	7 7/8		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 13200 PPM	
Density / Viscosity	9.4/78		
pH / Fluid Loss	9.5/13.6		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	.40 @ 80F		
Rmf @ Meas. Temp	.30 @ 80F		
Rmc @ Meas. Temp	.48 @ 80F		
Source of Rmf / Rmc	MEASUREMENT		
Rm @ BHT	.25 @ 128F		
Time Circulation Stopped	2 HOURS		
Time Logger on Bottom	////		
Maximum Recorded Temperature	128F		
Equipment Number	3802		
Location	HAYS, KANSAS		
Recorded By	JASON CAPPELLUCCI		
Witnessed By	KEN LeBLANC		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395
DIRECTIONS
KINGSDOWN, KS. - 2 NORTH TO WILBURN RD. - 3 3/4 WEST - NORTH INTO






MAIN SECTION


Database File	5628pe.db
Dataset Pathname	pass7
Presentation Format	_slt
Dataset Creation	Sat Jun 26 02:51:23 2021
Charted by	Depth in Feet scaled 1:240


0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)		40	
6	CALIPER (in)	16	10 (ft3)	0	30	SONIC POROSITY (pu)		-10
			TBHV	0	ITT (msec)		20	
			0 (ft3)	10				













1550

1600

1650

1700






1750


1800


1850


1900

1950












2450



2500


2550


2600
















3550


3600


3650


3700
















4650

4700

4750

4800







4850


4900

4950

5000










REPEAT SECTION

Database File 5628pe.db
 Dataset Pathname pass6.1
 Presentation Format _slt
 Dataset Creation Sat Jun 26 03:05:53 2021
 Charted by Depth in Feet scaled 1:240





0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)		40
6	CALIPER (in)	16	10 (ft3)	0	30	SONIC POROSITY (pu)	-10
			TBHV	0	ITT (msec)	20	

0 (ft3) 10
