



MICRO LOG

Company VINCENT OIL CORPORATION

Well BORGER #1-5

Field LAPPIN SW

County HODGEMAN State KANSAS

Location: API #: 15-083-21986-0000

2310' FNL & 2678' FEL

Other Services
CDL/CNL/PE
DIL/SON

SEC 5 TWP 24S RGE 23W

Elevation

Permanent Datum GROUND LEVEL Elevation 2447
Log Measured From KELLY BUSHING 5' A.G.L.
Drilling Measured From KELLY BUSHING

K.B. 2452
D.F. 2450
G.L. 2447

Date 6/15/21

Run Number TWO

Depth Driller 4830

Depth Logger 4834

Bottom Logged Interval 4816

Top Log Interval 3850

Casing Driller 8 5/8" @ 355

Casing Logger 355

Bit Size 7 7/8

Type Fluid in Hole CHEMICAL MUD

Density / Viscosity 9.3/45

pH / Fluid Loss 9.0/10.8

Source of Sample FLOWLINE

Rm @ Meas. Temp .60 @ 82F

Rmf @ Meas. Temp .45 @ 82F

Rmc @ Meas. Temp .72 @ 82F

Source of Rmf / Rmc MEASUREMENT

Rm @ BHT .40 @ 123F

Time Circulation Stopped 2 HOURS

Time Logger on Bottom 1111

Maximum Recorded Temperature 123F

Equipment Number 3802

Location HAYS, KANSAS

Recorded By JASON CAPPELLUCCI

Witnessed By TOM DUDGEON

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395
DIRECTIONS


JETMORE, KS. - 6 SOUTH TO RD. G - 1 1/2 EAST - SOUTH INTO JUST WEST OF THE FARM




UPPER SECTION

Database File	5224pe.db
Dataset Pathname	pass6.1.1
Presentation Format	_micro
Dataset Creation	Wed Jun 16 03:56:06 2021
Charted by	Depth in Feet scaled 1:240



0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	40
			TBHV			
			0 (ft3)	10		






MAIN SECTION

Database File 5224pe.db
 Dataset Pathname pass6.1
 Presentation Format _micro
 Dataset Creation Wed Jun 16 03:37:01 2021
 Charted by Depth in Feet scaled 1:240







3900

3950

4000

4050







4100

4150

4200

4250






4300


4350


4400

4450

4500










REPEAT SECTION

Database File 5224pe.db
 Dataset Pathname pass5.1
 Presentation Format _micro
 Dataset Creation Wed Jun 16 03:25:37 2021
 Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3) 0	0	MEL2.0 (Ohm-m)	40
			TBHV			
			0 (ft3) 10			







4550

4600

4650

4700





Calibration Report			
Database File	5224pe.db		
Dataset Pathname	pass5.1		
Dataset Creation	Wed Jun 16 03:25:37 2021		
MICRO_USR Calibration Report			
Serial Number:	070910		
Tool Model:	ProbeL		
Performed:	Thu Jun 10 10:36:57 2021		
Caliper Calibration:	Gain=7.192	Offset=2.802	
References	Low Cal	High Cal	
Readings	8.000	14.000	
	0.723	1.557	
1.5" Calibration:	Gain=50.000	Offset=-0.567	
References	Low Cal	High Cal	
Readings	0.000	20.000	
	0.004	1.335	
2" Calibration:	Gain=85.000	Offset=-2.000	
References	Low Cal	High Cal	
Readings	0.000	20.000	
	0.004	1.029	
Microlog Calibration Report			

Serial-Model:
Performed:

070910-ProbeL
(Not Performed)

Readings				References			Results	
	Zero	Cal		Zero	Cal		m	b
Normal	0.0000	1.0000	V	0.0000	1.0000	Ohm-m	1.0000	0.0000
Inverse	0.0000	1.0000	V	0.0000	1.0000	Ohm-m	1.0000	0.0000
Caliper	0.0000	1.0000	V	0.0000	1.0000	in	1.0000	0.0000

Gamma Ray Calibration Report

Serial Number: 070558
Tool Model: Probe1
Performed: Fri Oct 30 21:32:56 2020

Calibrator Value: 1.0 GAPI

Background Reading: 0.0 cps
Calibrator Reading: 1.0 cps

Sensitivity: 0.2700 GAPI/cps