



SONIC LOG

Company VINCENT OIL CORPORATION
Well BORGER #1-5
Field LAPPIN SW
County HODGEMAN State KANSAS

Location: API #: 15-083-21986-0000

2310' FNL & 2678' FEL

SEC 5 TWP 24S RGE 23W

Permanent Datum GROUND LEVEL Elevation 2447
Log Measured From KELLY BUSHING 5' A.G.L.
Drilling Measured From KELLY BUSHING

Other Services
CDL/CNL/PE
DIL/MEL

Elevation

K.B. 2452
D.F. 2450
G.L. 2447

Date 6/15/21

Run Number TWO

Depth Driller 4830

Depth Logger 4834

Bottom Logged Interval 4824

Top Log Interval 300

Casing Driller 8 5/8" @ 355

Casing Logger 355

Bit Size 7 7/8

Type Fluid in Hole CHEMICAL MUD

Density / Viscosity 9.3/45

pH / Fluid Loss 9.0/10.8

Source of Sample FLOWLINE

Rm @ Meas. Temp .60 @ 82F

Rmf @ Meas. Temp .45 @ 82F

Rmc @ Meas. Temp .72 @ 82F

Source of Rmf / Rmc MEASUREMENT

Rm @ BHT .40 @ 123F

Time Circulation Stopped 2 HOURS

Time Logger on Bottom 1111

Maximum Recorded Temperature 123F

Equipment Number 3802

Location HAYS, KANSAS

Recorded By JASON CAPPELLUCCI

Witnessed By TOM DUDGEON

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395
DIRECTIONS
JETMORE, KS. - 6 SOUTH TO RD. G - 1 1/2 EAST - SOUTH INTO JUST WEST OF THE FARM






MAIN SECTION


Database File	5224pe.db
Dataset Pathname	pass6.2
Presentation Format	_slt
Dataset Creation	Wed Jun 16 04:27:01 2021
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
			TBHV	0	ITT (msec)	20
			0 (ft3) 10			












950


1000



1050


1100















1800 1850 1900 1950 2000











2500

2550

2600

2650







2700


2750

2800

2850

2900






2900


2950

3000

3050

3100








3150

3200

3250

3300






3350


3400

3450

3500

3550







3600


3650

3700


3750









4000
4050
4100
4150
4200








4450


4500

4550

4600

4650





REPEAT SECTION

Database File 5224pe.db
Dataset Pathname pass5.1
Presentation Format _slt
Dataset Creation Wed Jun 16 03:25:37 2021
Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
			TBHV	0	ITT (msec)	20
			0 (ft3) 10			

