



SONIC LOG

Company	TRIPLE CROWN OPERATING, LLC.		
Well	STANLEY #1-3		
Field	UNNAMED		
County	HODGEMAN	State	KANSAS
Location:	API # : 15-083-21990-0000		Other Services DIL/ML CDL/CNL
Permanent Datum	SEC 3	TWP 21S	RGE 21W
Log Measured From	GROUND LEVEL Elevation 2205		
Drilling Measured From	KELLY BUSHING 6' A.G.L. KELLY BUSHING		
Elevation	K.B. 2211 D.F. 2209 G.L. 2205		
Date	06/28/21		
Run Number	TWO		
Depth Driller	4482		
Depth Logger	4482		
Bottom Logged Interval	4472		
Top Log Interval	00		
Casing Driller	8 5/8" @ 1344		
Casing Logger	1344		
Bit Size	7 7/8"		
Type Fluid in Hole	CHEMICAL MUD		
Density / Viscosity	9.5/53		
pH / Fluid Loss	8.5/12.0		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	.5@ 80F		
Rmf @ Meas. Temp	.38@ 80F		
Rmc @ Meas. Temp	.60 @ 80F		
Source of Rmf / Rmc	MEASURED		
Rm @ BHT	.34@ 120F		
Time Circulation Stopped	2 HOURS		
Time Logger on Bottom	////		
Maximum Recorded Temperature	120F		
Equipment Number	1523		
Location	HAYS, KANSAS		
Recorded By	GUS PFANENSTIEL		
Witnessed By	SEAN DEENIHAN		
	CHRIS JOHNSON		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE, HAYS, KS. (785) 628-6395


DIRECTIONS: EAST OF BAZINE TO GG RD. SOUTH TO RD X
1 EAST, NORTH INTO.







MAIN PASS


Database File	5447pe.db
Dataset Pathname	pass1LAS
Presentation Format	_slt
Dataset Creation	Mon Jun 28 05:01:47 2021
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
-100	SP (mV)	100	TBHV	0	ITT (msec)	20
			0 (ft3) 10			











650

700

750

800






850



900



950


1000



1050







































3500



3550


3600

3650

3700









3950

4000

4050

4100






4150


4200

4250

4300



4350






REPEAT SECTION

Database File 5447pe.db
 Dataset Pathname pass4.1
 Presentation Format _slt
 Dataset Creation Mon Jun 28 04:36:29 2021
 Charted by Depth in Feet scaled 1:240





0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
0	MINMK	20	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
6	CALIPER (in)	16	TBHV	0	ITT (msec)	20
			0 (ft3) 10			

Database File		5447pe.db	
Dataset Pathname		pass4.1	
Dataset Creation		Mon Jun 28 04:36:29 2021	
MICRO Calibration Report			
Serial Number:		Micro1	
Tool Model:		ProbeL	
Performed:		Sat Apr 10 18:53:52 2021	
Caliper Calibration:		Gain=2.815	Offset=4.422
References		Low Cal	High Cal
Readings		8.500	13.500
		0.887	2.663
1.5" Calibration:		Gain=36.134	Offset=0.000
References		Low Cal	High Cal
Readings		0.000	20.000
		0.004	0.832
2" Calibration:		Gain=38.000	Offset=0.200
References		Low Cal	High Cal
Readings		0.000	20.000
		0.022	0.793
Gamma Ray Calibration Report			
Serial Number:		GR5	
Tool Model:		OPEN	
Performed:		Thu Jul 30 23:16:16 2020	
Calibrator Value:		1.0	GAPI
Background Reading:		0.0	cps
Calibrator Reading:		1.0	cps
Sensitivity:		0.6000	GAPI/cps