



SONIC LOG

Company	WOOLSEY OPERATING CO. INC.	Company	WOOLSEY OPERATING COMPANY, INC.
Well	McCRACKEN #1	Well	McCRACKEN #1
Field	WILDCAT	Field	WILDCAT
County	BARBER	County	BARBER
State	KANSAS	State	KANSAS
Location:	API # : 15-007-24382-0000 987' FNL & 182' FEL NE - SE - NE - NE	Other Services CDL/CNL/PE DIL	
Permanent Datum	GROUND LEVEL	Elevation	1559
Log Measured From	KELLY BUSHING		
Drilling Measured From	KELLY BUSHING		
SEC 33	TWP 33S	RGE 12W	
Date	6/19/21		
Run Number	TWO		
Depth Driller	5285		
Depth Logger	5287		
Bottom Logged Interval	5279		
Top Log Interval	200		
Casing Driller	8 5/8" @ 269'		
Casing Logger	269		
Bit Size	7 7/8"		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 9.500 PPM	
Density / Viscosity	9.4/57		
pH / Fluid Loss	9.0/10.8		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	.510 @ 101F		
Rmf @ Meas. Temp	.383 @ 101F		
Rmc @ Meas. Temp	.612 @ 101F		
Source of Rmf / Rmc	MEASUREMENT		
Rm @ BHT	.402 @ 128F		
Time Circulation Stopped	2.5 HOURS		
Time Logger on Bottom	11:30 A.M.		
Maximum Recorded Temperature	128F		
Equipment Number	922339		
Location	HAYS, KANSAS		
Recorded By	JEFF LUEBBERS		
Witnessed By	BILL KLAVER		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

15-007-24382-0000

Comments


THANK YOU FOR USING ELI WIRELINE HAYS, KANSAS (785) 628-6395
DIRECTIONS
MEDICINE LODGE, KS., 9S. ON HWY 281 TO "GERLANE RD", 1W. TO "ROUNDUP", 2 1/2S.
(WINDING RD.) W. INTO AT FARMSTEAD 1 1/2 MILES







MAIN SECTION


Database File	5577pe.db
Dataset Pathname	pass6.1
Presentation Format	slt
Dataset Creation	Sat Jun 19 13:32:59 2021
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
0	MINMK	20	TBHV	0	ITT (msec)	20
			0 (ft3) 10			











850

900

950

1000






1050


1100

1150

1200

1250







1300

1350

1400

1450








1500


1550


1600


1650
















2600

2650

2700

2750






2800


2850

2900

2950

3000







3050


3100


3150

3200











3700


3750

3800

3850









4150


4200

4250

4300









4600


4650


4700

4750









REPEAT SECTION

Database File 5577pe.db
 Dataset Pathname pass5.3
 Presentation Format slt
 Dataset Creation Sat Jun 19 13:47:35 2021
 Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (u sec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
0	MINMK	20	TBHV	0	ITT (msec)	20
			0 (ft3) 10			

