



MIDWEST SURVEYS
LOGGING - PERFORATING - CONSULTING SERVICES
P.O. Box 68, Osawatomie, KS 66064
913 / 755 - 2128

GAMMA RAY / NEUTRON / CCL

API# 15-031-24,513

File No.	Company Black Star 231 Corporation						
	Well Crooks No. st1						
	Field WC						
	County Coffey		State Kansas				
	Location 40' FSL & 1320' FEL S/2-S/2-S/2-SE						
Sec. 23		Twp. 21s	Rge. 16e	Other Services			
Permanent Datum		GL	Elevation 1060'				
Log Measured From		GL					
Drilling Measured From		GL					
Date	07-22-2021			K.B. NA D.F. NA G.L. 1060'			
Run Number	One						
Depth Driller	301.0						
Depth Logger	301.0						
Bottom Logged Interval	300.0						
Top Log Interval	15.0						
Fluid Level	Full						
Type Fluid	Water						
Density / Viscosity	NA						
Salinity - PPM Cl	NA						
Max Recorded Temp	NA						
Estimated Cement Top	0.0						
Equipment No.	Location	102	Osawatimie				
Recorded By	Steve Windisch						
Witnessed By	Jim Pryor						
RUN	BORE-HOLE RECORD			CASING RECORD			
No.	BIT	FROM	TO	SIZE	WGT.	FROM	TO
One	5.875"	0.0	300.5	Logged	Through	Drill	Pipe
				3.50"	Drill-Pipe	0.0	301.0

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Drilling Contractor :
Hat Drilling, Inc

Logged the well through the drill pipe.



Database File: crooks 1st.db
Dataset Pathname: pass1
Presentation Format: gr-n-ccl
Dataset Creation: Thu Jul 22 08:35:08 2021 by Log SCH 111116
Charted by: Depth in Feet scaled 1:240

0	Gamma Ray (cps)	150
150	Gamma Ray (cps)	300

-1	CCL	1
100		

Neutron (cps)

1900



0	Gamma Ray (cps)	150
150	Gamma Ray (cps)	300

-1	CCL	1
100		

Neutron (cps)

1900