


MICRO
LOG



Company FOURWINDS OIL CORPORATION
Well H & S UNIT #1
Field RAY
County PHILLIPS State KANSAS

Location: API #: 15-147-20757-0000
150' FNL & 340 FEL
SEC 29 TWP 5S RGE 20W
Permanent Datum GROUND LEVEL Elevation 2228
Log Measured From KELLY BUSHING 8' A.G.L
Drilling Measured From KELLY BUSHING
Other Services CDL/CNL DIL
Elevation K.B. 2236 D.F. 2234 G.L. 2228

Date	6/30/21		
Run Number	TWO		
Depth Driller	3680		
Depth Logger	3674		
Bottom Logged Interval	3672		
Top Log Interval	3100		
Casing Driller	8 5/8" @ 222		
Casing Logger	222		
Bit Size	7 7/8		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 800 PPM	
Density / Viscosity	9.1/58		
pH / Fluid Loss	11.5/8.0		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	1.4 @ 80F		
Rmf @ Meas. Temp	1.05 @ 80F		
Rmc @ Meas. Temp	1.57 @ 802F		
Source of Rmf / Rmc	MEASUREMENT		
Rm @ BHT	.99 @ 113F		
Time Circulation Stopped	2 HOURS		
Time Logger on Bottom	////		
Maximum Recorded Temperature	113F		
Equipment Number	3802		
Location	HAYS, KANSAS		
Recorded By	JASON CAPPELLUCCI		
Witnessed By	CAMERON BRIN		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395
DIRECTIONS
STOCKTON, KS. - 11 NORTH TO COZY COVE RD. - 16 WEST - SOUTH INTO




MAIN SECTION

Database File 5630ddn.db
 Dataset Pathname pass6.1
 Presentation Format _micro
 Dataset Creation Wed Jun 30 08:49:05 2021
 Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	40
			TBHV			
			0 (ft3)	10		







3300

3350

3400

3450







REPEAT SECTION

REPEAT SECTION

Database File 5630ddn.db
 Dataset Pathname pass5.1
 Presentation Format _micro
 Dataset Creation Wed Jun 30 08:38:11 2021
 Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	40
			TBHV			
			0 (ft3)	10		





0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3) 0	0	MEL2.0 (Ohm-m)	40
			TBHV			
			0 (ft3) 10			

Calibration Report

Database File 5630ddn.db
 Dataset Pathname pass5.1
 Dataset Creation Wed Jun 30 08:38:11 2021

MICRO_USR Calibration Report

Serial Number:	070910	
Tool Model:	ProbeL	
Performed:	Thu Jun 10 10:36:57 2021	
Caliper Calibration:	Gain=7.192	Offset=2.802
References	Low Cal 8.000	High Cal 14.000
Readings	0.723	1.557
1.5" Calibration:	Gain=30.000	Offset=-0.567
References	Low Cal 0.000	High Cal 20.000
Readings	0.004	1.335
2" Calibration:	Gain=55.000	Offset=-2.000
References	Low Cal 0.000	High Cal 20.000
Readings	0.004	1.029

Microlog Calibration Report

Serial-Model: 070910-ProbeL
 Performed: (Not Performed)

	Readings		V	References			Results	
	Zero	Cal		Zero	Cal		m	b
Normal	0.0000	1.0000	V	0.0000	1.0000	Ohm-m	1.0000	0.0000
Inverse	0.0000	1.0000	V	0.0000	1.0000	Ohm-m	1.0000	0.0000
Caliper	0.0000	1.0000	V	0.0000	1.0000	in	1.0000	0.0000

Gamma Ray Calibration Report

Serial Number: 070558
Tool Model: Probe1
Performed: Fri Oct 30 21:32:56 2020

Calibrator Value:	1.0	GAPI
Background Reading:	0.0	cps
Calibrator Reading:	1.0	cps
Sensitivity:	0.2700	GAPI/cps