



QUAD COMBO LOG

Company	BEREXCO, LLC.	Company	BEREXCO, LLC.
Well	ARNOLD UNIT #13-12	Well	ARNOLD UNIT #13-12
Field	ARROYO NORTHEAST	Field	ARROYO NORTHEAST
County	STANTON	County	STANTON
State	KANSAS	State	KANSAS
Location:	API # : 15-187-21360-0000 475' FNL & 875' FEL SE - NW - NE - NE	Other Services	CDL/CNL/PE DIL/MEL/SON
Permanent Datum	GROUND LEVEL	Elevation	3334
Log Measured From	KELLY BUSHING 13' A.G.L.	K.B.	3347
Drilling Measured From	KELLY BUSHING	D.F.	3345
		G.L.	3334
Date	6/14/23		
Run Number	ONE		
Depth Driller	5560		
Depth Logger	5560		
Bottom Logged Interval	5568		
Top Log Interval	3400		
Casing Driller	8 5/8"@1741'		
Casing Logger	1742		
Bit Size	7 7/8"		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES	500 PPM
Density / Viscosity	9.4/65		
pH / Fluid Loss	10.0/6.4		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	1.60@79F		
Rmf @ Meas. Temp	1.20@79F		
Rmc @ Meas. Temp	1.92@79F		
Source of Rmf / Rmc	MEASUREMENT		
Rm @ BHT	.972@130F		
Time Circulation Stopped	3 HOURS		
Time Logger on Bottom	3:30 A.M.		
Maximum Recorded Temperature	130F		
Equipment Number	922339		
Location	HAYS, KANSAS		
Recorded By	JEFF LUEBBERS		
Witnessed By	PETE VOLLMER		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

15-187-21360-0000

Comments

THANK YOU FOR USING ELI WIRELINE HAYS, KANSAS (785) 628-6395
DIRECTIONS
JOHNSON CITY, KS., (HWY 160 & RD. L), 2S. TO "RD. 14", 1/4W., S. INTO



MAIN SECTION

Database File	7895pe.db
Dataset Pathname	pass3.2L
Presentation Format	obrcompcol
Dataset Creation	Wed Jun 14 08:05:54 2023
Charted by	Depth in Feet scaled 1:240

0	Gamma Ray (GAPI)	150	MEL15	0.2	Deep Resistivity (Ohm-m)	200	30	Sonic Porosity (pu)	-10	
-100	SP (mV)	100	(Ohm-m)	0.2	Medium Resistivity (Ohm-m)	200	30	CN Porosity (pu)	-10	
-200	RxoRt	100	0	40	0.2	Shallow Resistivity (Ohm-m)	200	30	Density Porosity (pu)	-10
6	DCAL (in)	16	MEL20				0	PE	20	
6	MELCAL (in)	16	(Ohm-m)					RHOC		
			0	40				-0.25 (g/cc)	0.25	
			TBHV (ft3)							
			ABHV (ft3)							





















