



<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

15-057-21052-0000

Comments


THANK YOU FOR USING E.L.I. WIRELINE SERVICES HAYS, KANSAS (785)628-6395
DIRECTIONS


SPEARVILLE, KS., S. ON BLKTOP TO STOP SIGN, 2 1/4W. 1S., E. INTO ON WIND TOWER RD.






Database File	5592pe.db
Dataset Pathname	pass8.3
Presentation Format	slt
Dataset Creation	Sat Jul 24 03:55:56 2021
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
0	MINMK	20	TBHV	0	ITT (msec)	20
			0 (ft3) 10			











1050


1100

1150

1200









1500

1550

1600

1650







1700

1750

1800

1850






1900


1950


2000

2050

2100








2350


2400

2450

2500

2550







2600


2650

2700


2750









3000
3050
3100
3150
3200








3450


3500

3550

3600

3650








3700


3750

3800

3850








4100


4150


4200

4250

4300








4550


4600

4650

4700

4750







4800

4850

4900

4950





REPEAT SECTION

Database File 5592pe.db
 Dataset Pathname pass6.2
 Presentation Format slt
 Dataset Creation Sat Jul 24 03:47:42 2021
 Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
0	MINMK	20	TBHV	0	ITT (msec)	20
			0 (ft3) 10			

