



<<< Fold Here >>>


Comments




MAIN SECTION

Database File	8220ddn.db
Dataset Pathname	pass3.1M
Presentation Format	_den_neu
Dataset Creation	Fri Oct 06 18:16:51 2023
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	30	COMPENSATED DENSITY (pu)			-10	
6	DCAL (in)	16	10 (ft3)	0	30	COMPENSATED NEUTRON (pu)			-10
0	MINMK	20	TBHV			-0.25	CORRECTION (g/cc)	0.25	
			0 (ft3)	10		0	LTEN (lb)	5000	







3000

3050

3100

3150






3200


3250

3300

3350

3400







REPEAT SECTION

Database File 8220ddn.db
 Dataset Pathname pass2.1R
 Presentation Format _den_neu
 Dataset Creation Fri Oct 06 17:54:21 2023
 Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	30	COMPENSATED DENSITY (pu)	-10
6	DCAL (in)	16	10 (ft3) 0	30	COMPENSATED NEUTRON (pu)	-10
0	MINMK	20	TBHV	-0.25	CORRECTION (g/cc)	0.25
			0 (ft3) 10	0	LTEN (lb)	5000






DOI OMITE MATRIX

DOLOMITE MATRIX

Database File 8220ddn.db
Dataset Pathname pass2.1D
Presentation Format _den_neu
Dataset Creation Fri Oct 06 17:56:39 2023
Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	30	COMPENSATED DENSITY (pu)	-10
6	DCAL (in)	16	10 (ft3) 0	30	COMPENSATED NEUTRON (pu)	-10
0	MINMK	20	TBHV		-0.25 CORRECTION (g/cc)	0.25
			0 (ft3) 10		0 LTEN (lb)	5000



0	GAMMA RAY (GAPI)	150	ABHV	30	COMPENSATED DENSITY (pu)	-10
6	DCAL (in)	16	10 (ft3) 0	30	COMPENSATED NEUTRON (pu)	-10
0	MINMK	20	TBHV		-0.25 CORRECTION (g/cc)	0.25
			0 (ft3) 10		0 LTEN (lb)	5000

Calibration Report

Database File 8220ddn.db
Dataset Pathname pass3.1M
Dataset Creation Fri Oct 06 18:16:51 2023

Dual Induction Calibration Report

Serial-Model:
Surface Cal Performed:
Downhole Cal Performed:
After Survey Verification Performed:

PROBE8-DILG
Tue Oct 03 21:12:31 2023
Mon Aug 14 00:39:25 2023
Mon Jul 28 11:08:27 2008

Surface Calibration								
Readings				References			Results	
Loop:	Air	Loop		Air	Loop		m	b
Deep	0.015	0.648	V	0.000	400.000	mmho/m	660.000	2.000
Medium	0.029	0.796	V	0.000	464.000	mmho/m	620.000	-18.000
Internal:	Zero	Cal		Zero	Cal		m	b
Deep	0.017	0.657	V	0.000	400.000	mmho/m	625.153	-10.619
Medium	0.016	0.757	V	0.000	464.000	mmho/m	625.992	-9.739

Downhole Calibration								
Readings				References			Results	
	Zero	Cal		Zero	Cal		m'	b'
Deep	0.000	0.000	mmho/m	2.011	405.777	mmho/m	1.000	0.000
Medium	0.000	0.000	mmho/m	7.590	503.393	mmho/m	1.000	0.000
LL3		7.500	V		1500.000	Ohm-m		
		0.000	V		20.000	Ohm-m		
		-7.200	V		3800.000	mmho-m		

After Survey Verification								
Readings				Targets			Results	
	Zero	Cal		Zero	Cal		m'	b'
Deep	0.000	0.000	mmho/m	0.000	0.000	mmho/m	0.000	0.000
Medium	0.000	0.000	mmho/m	0.000	0.000	mmho/m	0.000	0.000
LL3		1.000	Ohm-m		1.000	Ohm-m		
		0.000	Ohm-m		0.000	Ohm-m		
		1.000	mmho-m		1.000	mmho-m		

Litho Density Calibration Report								
Serial: 002				Model: PRB				

Master Calibration					Performed Tue Aug 02 15:13:46 2022			
	Background		Magnesium		Aluminum		Aluminum+Fe	
Window 1	756.0		9803.2		2626.7		2317.1	
Window 2	695.1		8255.1		2265.2		2043.1	
Window 3	550.8		3929.2		1238.3		1173.3	
Window 4	165.8		166.7		163.3		164.0	
Long Space	0.0		7560.0		1570.1		1348.0	
Short Space	1.7		1555.8		1144.9		997.1	
Rho			1.7100		2.5900		0.0000	
Pe			2.0000		2.7500		5.7900	
Rib Angle	: 49.0		Rib Slope	: 1.149		Density/Spine Ratio	: 0.550	
Spine Angle	: 79.0		Spine Slope	: 5.125		Spine Intercept	: -28.7	

Before Survey Verification					Performed Wed Dec 31 18:00:00 1969			
Window 1	0.0		0.0		0.0		0.0	
Window 2	0.0		0.0		0.0		0.0	
Window 3	0.0		0.0		0.0		0.0	
Window 4	0.0		0.0		0.0		0.0	
Long Space	0.0		0.0		0.0		0.0	

Long Space	0.0	0.0	0.0	0.0	cps
Short Space	0.0	0.0	0.0	0.0	cps
Measured Rho		0.0000	0.0000	0.0000	g/cc
Measured Correction		0.0000	0.0000	0.0000	g/cc
Measured Pe			0.0000	0.0000	
After Survey Verification					
Performed Wed Dec 31 18:00:00 1969					
Window 1	0.0	0.0	0.0	0.0	cps
Window 2	0.0	0.0	0.0	0.0	cps
Window 3	0.0	0.0	0.0	0.0	cps
Window 4	0.0	0.0	0.0	0.0	cps
Long Space	0.0	0.0	0.0	0.0	cps
Short Space	0.0	0.0	0.0	0.0	cps
Measured Rho		0.0000	0.0000	0.0000	g/cc
Measured Correction		0.0000	0.0000	0.0000	g/cc
Measured Pe			0.0000	0.0000	
Compensated Neutron Calibration Report					
Serial Number:		070807PMC			
Tool Model:		NABORS			
PRE-SURVEY VERIFICATION					
Detector	Readings	Measured	Target		
Short Space	cps				
Long Space	cps	pu	pu		
POST-SURVEY VERIFICATION					
Detector	Readings	Measured	Target		
Short Space	cps				
Long Space	cps	pu	pu		
Gamma Ray Calibration Report					
Serial Number:		070558			
Tool Model:		OPEN_GR			
Performed:		Sun Sep 17 12:49:32 2023			
Calibrator Value:		1.0	GAPI		
Background Reading:		0.0	cps		
Calibrator Reading:		1.0	cps		
Sensitivity:		0.3000	GAPI/cps		