



TRIPLE COMBO LOG

Company	SHAKESPEARE OIL CO., INC.	Company	SHAKESPEARE OIL CO., INC.
Well	BAKER #1-10	Well	BAKER #1-10
Field	N/A	Field	N/A
County	WICHITA	County	WICHITA
State	KANSAS	State	KANSAS
Location:	API # : 15-203-20370-0000 1300' FSL & 1620' FWL	Other Services CDL/CNL ML	
Permanent Datum	SEC 10 TWP 16S RGE 35W	Elevation	
Log Measured From	GROUND LEVEL Elevation 3173	K.B. 3183	
Drilling Measured From	KELLY BUSHING 10' A.G.L. KELLY BUSHING	D.F. 3182	
		G.L. 3173	
Date	10/09/21		
Run Number	ONE		
Depth Driller	4850		
Depth Logger	4851		
Bottom Logged Interval	4849		
Top Log Interval	3600		
Casing Driller	8 5/8" @ 269		
Casing Logger	269		
Bit Size	7 7/8"		
Type Fluid in Hole	CHEMICAL MUD		
Density / Viscosity	9.3/57		
pH / Fluid Loss	10.0/8.8		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	.6@ 80F		
Rmf @ Meas. Temp	.45@ 80F		
Rmc @ Meas. Temp	.72 @ 80F		
Source of Rmf / Rmc	MEASURED		
Rm @ BHT	.38@ 124F		
Time Circulation Stopped	2 HOURS		
Time Logger on Bottom	////		
Maximum Recorded Temperature	124F		
Equipment Number	1523		
Location	HAYS, KANSAS		
Recorded By	GUS PFANENSTIEL		
Witnessed By	VERN SCHRAG		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE, HAYS, KS. (785) 628-6395


DIRECTIONS:PENCE WEST TO RD 23 , 1 1/2 NORTH, WEST 3/4,
SOUTH 1/4, WEST INTO.







MAIN PASS





Database File	5882ddn.db
Dataset Pathname	pass1LAS
Presentation Format	obrcomp
Dataset Creation	Sat Oct 09 22:20:37 2021
Charted by	Depth in Feet scaled 1:240


0	Gamma Ray (GAPI)	150	MEL15	0.2	Deep Resistivity (Ohm-m)	200	30	CN Porosity (pu)	-10	
-100	SP (mV)	100	(Ohm-m)	0.2	Medium Resistivity (Ohm-m)	200	30	Density Porosity (pu)	-10	
-200	RxoRt	100	0	20	0.2	Shallow Resistivity (Ohm-m)	200	0	PE	10
6	DCAL (in)	16	MEL20						RHOC	
			(Ohm-m)						-0.25 (g/cc)	0.25
			0	20						














0	Gamma Ray (GAPI)	150	MEL15	0.2	Deep Resistivity (Ohm-m)	200	30	CN Porosity (pu)	-10
-100	SP (mV)	100	(Ohm-m)	0.2	Medium Resistivity (Ohm-m)	200	30	Density Porosity (pu)	-10
-200	RxoRt	100	0 20	0.2	Shallow Resistivity (Ohm-m)	200	0	PE	10

6	DCAL (in)	16	MEL20	RHOC
			(Ohm-m)	-0.25 (g/cc) 0.25
		0	20	