CEMENT BOND LOG

Company DON SIMS OIL
Well DALE JOHNSON C #1
Field OLSSON
County SALINE State KS

Company DON SIMS OIL
Well DALE JOHNSON C #1
Field OLSSON
County SALINE
State KS

Location: API # : 15-169-20279-00-01

SEC 3 TWP 16S RGE 3W

Other Services

Elevation
K.B. 1294
D.F. 1292
G.L. 1289

Permanent Datum	Ground Level	Elevation	1289
Log Measured From	KB 5' AGL		
Drilling Measured From	KB		

Date	10/19/2023		
Run Number	One		
Depth Driller	3325		
Depth Logger	3274		
Bottom Logged Interval	3272		
Top Log Interval	1500		
Open Hole Size	7 7/8"		
Type Fluid	Water		
Density / Viscosity	////		
Max. Recorded Temp.	////		
Estimated Cement Top	N/A		
Time Well Ready	R.O.A		
Time Logger on Bottom	2:00 PM		
Equipment Number	T-118		
Location	Hays, KS		
Recorded By	GUS PFANENSTIEL		
Witnessed By			

Borehole Record				Tubing Record			
Run Number	Bit	From	To	Size	Weight	From	To

Casing Record	Size	Wgt/Ft	Top	Bottom
Surface String	8 5/8"	26#	0'	335
Prot. String	4.5"		0'	3468
Production String				
Liner				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments


Thanks for using Gemini Wireline LLC
785-625-1182


MAIN PASS


Database File	donsimsoilcbljohnsonc.db
Dataset Pathname	pass3.1
Presentation Format	cblsec
Dataset Creation	Thu Oct 19 13:57:45 2023
Charted by	Depth in Feet scaled 1:240


0	GR (GAPI)	150	LTEN	18	CCL	-2	200	VDL (usec) 1200
150	GR (GAPI)	300	(lb)	0	AMP3 (mV)	100		
450	TT3 (usec)	250	-100 2100					






1700
1750
1800
1850
1900



1950
2000
2050
2100



2150
2200
2250
2300


2350
2400
2450
2500
2550


2600
2650
2700
2750


2800
2850
2900
2950
3000


3050
3100
3150
3200
CCL



Sensor	Offset (ft)	Schematic	Description	Length (ft)	O.D. (in)	Weight (lb
			CHD-sdschd	0.75	1.44	3.00
WVF5FT	11.69		Probedig-DigitalCBL (080201) 2 3/4 Bond Tool	8.77	2.75	92.00
WVF3FT	11.69					
WVFSYNC	7.44		CENT-275 2 3/4" Centralizer	2.94	2.75	10.00

CCL	3.67		CCL-Probe (080224) Probe 2 3/4"	1.42	2.75	7.50
GR	2.30		GR-Probe1 (080224)	3.08	2.75	40.00

Dataset: donsimsoilcbljohnsonc.db: field/well/run1/pass3.1
Total length: 16.95 ft
Total weight: 152.50 lb
O.D.: 2.75 in