








Database File jpwalvinwilliams#1cbl.db  
 Dataset Pathname pass4.1  
 Presentation Format cblsec  
 Dataset Creation Fri Jun 30 17:31:06 2023  
 Charted by Depth in Feet scaled 1:240

0	GR (GAPI)	150	LTEN	18	CCL	-2	200	VDL (usec)	1200
150	GR (GAPI)	300	(lb)	0	AMP3 (mV)	100			
420	TT3 (usec)	220	-100 2100						










450

500

550

600








650

700

750

800







850


900

950

1000

1050








1100

1150

1200

1250







1300


1350

1400

1450

1500








1550

1600

1650

1700









1750


1800


1850

1900











2400


2450

2500

2550

2600








2650

2700

2750

2800








2850

2900

2950

3000







3050


3100


3150

3200

3250








# REPEAT SECTION

Database File      jpwalvinwilliams#1cbl.db  
 Dataset Pathname    pass3  
 Presentation Format    cblsec  
 Dataset Creation      Fri Jun 30 15:56:59 2023  
 Charted by            Depth in Feet scaled 1:240

0	GR (GAPI)	150	LTEN	18	CCL	-2	200	VDL (uSec)	1200
150	GR (GAPI)	300	(lb)	0	AMP3 (mV)	100			
420	TT3 (uSec)	220	-100	2100					



### Calibration Report

Database File jpwalvinwilliams#1cbl.db  
 Dataset Pathname pass4.1  
 Dataset Creation Fri Jun 30 17:31:06 2023

### Gamma Ray Calibration Report

Serial Number: 080224  
 Tool Model: Probe1  
 Performed: Wed Mar 8 08:45:31 2023

Calibrator Value: 200.0 GAPI

Background Reading: 15.0 cps  
 Calibrator Reading: 222.7 cps

Sensitivity:

1.4000

GAPI/cps

## Segmented Cement Bond Log Calibration Report

Serial Number: 061007  
Tool Model: DigitalCBL

Calibration Casing Diameter: 5.500 in  
Calibration Depth: 2115.017 ft

Master Calibration, performed Fri Jun 30 15:52:59 2023:

	Raw (v)		Calibrated (mv)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
3'	0.011	0.882	1.000	71.921	81.445	0.113
CAL						
5'	0.008	0.648	1.000	71.921	110.757	0.102
SUM						
S1						
S2						
S3						
S4						
S5						
S6						
S7						
S8						

Internal Reference Calibration, performed (Not Performed):

	Raw (v)		Calibrated (v)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
CAL						

Air Zero Calibration, performed Fri Jun 30 13:56:52 2023:

	Raw (v)		Calibrated (v)		Results	
	Zero		Zero		Offset	
3'	0.000		0.000		0.000	
5'	0.000		0.000		0.000	
SUM						
S1						
S2						
S3						
S4						
S5						
S6						
S7						
S8						

Sensor	Offset (ft)	Schematic	Description	Length (ft)	O.D. (in)	Weight (lb)
CHD	14.93		CHD-sdschd	0.75	1.44	3.00
CENT	14.18		CENT-rub2	0.46	1.75	

