



MICRO LOG

Company RAYDON EXPLORATION, INC.
Well FANSHER FARMS #1-6
Field UNNAMED
County FINNEY State KANSAS

Location: API #: 15-055-22542-0000

335' FSL & 335' FEL
NW - SE - SE - SE

Other Services
CDL/CNL/PE
DIL/SONIC

SEC 6 TWP 23S RGE 32W

Permanent Datum GROUND LEVEL Elevation 2858
Log Measured From KELLY BUSHING 12' A.G.L.
Drilling Measured From KELLY BUSHING

Elevation
K.B. 2870
D.F. 2868
G.L. 2858

Date 10/1/21

Run Number TWO

Depth Driller 5110

Depth Logger 5112

Bottom Logged Interval 5096

Top Log Interval 3700

Casing Driller 8 5/8" @ 1814'

Casing Logger 1814

Bit Size 7 7/8"

Type Fluid in Hole CHEMICAL MUD CHLORIDES 3,000 PPM

Density / Viscosity 9.0/63

pH / Fluid Loss 10.5/6.8

Source of Sample FLOWLINE

Rm @ Meas. Temp 1.60@72F

Rmf @ Meas. Temp 1.20@72F

Rmc @ Meas. Temp 1.92@72F

Source of Rmf / Rmc MEASURED

Rm @ BHT .914@126F

Time Circulation Stopped 5 HOURS

Time Logger on Bottom 4.45 P.M.

Maximum Recorded Temperature 126F

Equipment Number 1523

Location HAYS, KANSAS

Recorded By JEFF LUEBBERS

Witnessed By ED GRIEVES

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE, HAYS, KS. (785) 628-6395

DIRECTIONS


GARDEN CITY, KS., 5N. ON HWY 83 TO "6 MILE RD.", 1E., 1N., W. INTO





MAIN SECTION

Database File	5664pe.db
Dataset Pathname	pass7.6
Presentation Format	_micro
Dataset Creation	Fri Oct 01 17:54:01 2021
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0 0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3)	10		








4100


4150

4200

4250

4300







4350


4400


4450

4500










REPEAT SECTION

Database File 5664pe.db
 Dataset Pathname pass6.5
 Presentation Format _micro
 Dataset Creation Fri Oct 01 18:10:33 2021
 Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0 0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV			

0 (ft3) 10




4900

4950

5000

5050

5100



[illegible]