



QUAD COMBO LOG

Company	RAYDON EXPLORATION, INC.	Company	RAYDON EXPLORATION, INC.
Well	FANSHER FARMS #1-6	Well	FANSHER FARMS #1-6
Field	UNNAMED	Field	UNNAMED
County	FINNEY	County	FINNEY
State	KANSAS	State	KANSAS
Location:	API # : 15-055-22542-0000 335' FSL & 335' FEL NW - SE - SE - SE	Other Services CDL/CNL/PE DIL/MEL/SON	
Permanent Datum	SEC 6 TWP 23S RGE 32W	Elevation	
Log Measured From	GROUND LEVEL Elevation 2858 KELLY BUSHING 12' A.G.L.	K.B. 2870 D.F. 2868 G.L. 2858	
Drilling Measured From	KELLY BUSHING		
Date	10/1/21		
Run Number	ONE		
Depth Driller	5110		
Depth Logger	5112		
Bottom Logged Interval	5110		
Top Log Interval	3700		
Casing Driller	8 5/8" @ 1814'		
Casing Logger	1814		
Bit Size	7 7/8"		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 3,000 PPM	
Density / Viscosity	9.0/63		
pH / Fluid Loss	10.5/6.8		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	1.60@72F		
Rmf @ Meas. Temp	1.20@72F		
Rmc @ Meas. Temp	1.92@72F		
Source of Rmf / Rmc	MEASURED		
Rm @ BHT	.914@126F		
Time Circulation Stopped	3 HOURS		
Time Logger on Bottom	2.15 P.M.		
Maximum Recorded Temperature	126F		
Equipment Number	1523		
Location	HAYS, KANSAS		
Recorded By	JEFF LUEBBERS		
Witnessed By	ED GRIEVES		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE, HAYS, KS. (785) 628-6395

DIRECTIONS

GARDEN CITY, KS., 5N. ON HWY 83 TO "6 MILE RD.", 1E., 1N., W. INTO



MAIN SECTION

Database File	5664pe.db
Dataset Pathname	pass3.5L
Presentation Format	obrcompcol
Dataset Creation	Fri Oct 01 18:58:30 2021
Charted by	Depth in Feet scaled 1:240

0	Gamma Ray (GAPI)	150	MEL15	0.2	Deep Resistivity (Ohm-m)	200	30	Sonic Porosity (pu)	-10	
-100	SP (mV)	100	(Ohm-m)	0.2	Medium Resistivity (Ohm-m)	200	30	CN Porosity (pu)	-10	
-200	RxoRt	100	0	20	0.2	Shallow Resistivity (Ohm-m)	200	30	Density Porosity (pu)	-10
6	DCAL (in)	16	MEL20				0	PE	20	
6	MELCAL (in)	16	(Ohm-m)					RHOC		
			0	20				-0.25 (g/cc)	0.25	













