MICRO LOG

Company MAI OIL OPERATIONS, INC.
Well JOE DRISCOLL #9
Field DRISCOLL
County RUSSELL State KANSAS

Location: API # : 15-167-24111-0000
1640' FNL & 645' FWL
NE - NW - SW - NW

SEC 31 TWP 15S RGE 11W

Other Services
CDL/CNL
DIL

Elevation
K.B. 1844
D.F. 1842
G.L. 1834

Permanent Datum GROUND LEVEL Elevation 1834
Log Measured From KELLY BUSHING 10' A.G.L.
Drilling Measured From KELLY BUSHING

Company MAI OIL OPERATIONS, INC.
Well JOE DRISCOLL #9
Field DRISCOLL
County RUSSELL
State KANSAS

Date	10/24/21		
Run Number	TWO		
Depth Driller	3397		
Depth Logger	3397		
Bottom Logged Interval	3395		
Top Log Interval	2500		
Casing Driller	8 5/8"@706'		
Casing Logger	708		
Bit Size	7 7/8"		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 3,000 PPM	
Density / Viscosity	9.4/62		
pH / Fluid Loss	9.5/9.2		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	.950@75F		
Rmf @ Meas. Temp	.713@75F		
Rmc @ Meas. Temp	1.14@75F		
Source of Rmf / Rmc	MEASUREMENT		
Rm @ BHT	.642@111F		
Time Circulation Stopped	3.5 HOURS		
Time Logger on Bottom	12:30 P.M.		
Maximum Recorded Temperature	111F		
Equipment Number	922339		
Location	HAYS, KANSAS		
Recorded By	JEFF LUEBBERS		
Witnessed By	KIM SHOEMAKER		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


15-167-24111-0000


THANK YOU FOR USING ELI WIRELINE HAYS, KANSAS (785) 628-6395
DIRECTIONS
DUBUQUE, KS., 1/2W. OF CHURCH, 1N., 1 1/2E., S. INTO


MAIN SECTION


Database File	5674ddn.db
Dataset Pathname	pass7.2
Presentation Format	micro
Dataset Creation	Sun Oct 24 13:23:05 2021
Charted by	Depth in Feet scaled 1:240


0	GR (GAPI)	150	ABHV	0	MEL20 (Ohm-m)	40
6	MELCAL (in)	16	10 (ft3) 0	0	MEL15 (Ohm-m)	40
			ABHV			
			0 (ft3) 10			




2700
2750
2800
2850


2900
2950
3000
3050
3100


3150
3200
3250
3300
5.5" ABHV





0	GR (GAPI)	150	ABHV	0	MEL20 (Ohm-m) 40
6	MELCAL (in)	16	10 (ft3) 0	0	MEL15 (Ohm-m) 40
			ABHV		
			0 (ft3) 10		

REPEAT SECTION

Database File	5674ddn.db
Dataset Pathname	pass6.4
Presentation Format	micro
Dataset Creation	Sun Oct 24 12:56:01 2021
Charted by	Depth in Feet scaled 1:240

0	GR (GAPI)	150	ABHV	0	MEL20 (Ohm-m) 40
6	MELCAL (in)	16	10 (ft3) 0	0	MEL15 (Ohm-m) 40
			ABHV		
			0 (ft3) 10		





Calibration Report

Database File	5674ddn.db
Dataset Pathname	pass7.2
Dataset Creation	Sun Oct 24 13:23:05 2021

MICRO Calibration Report

Serial Number:	070910	
Tool Model:	ProbeN	
Performed:	Sun Oct 24 12:56:57 2021	
Caliper Calibration:	Gain=5.517	Offset=-0.552
	Low Cal	High Cal
References	8.000	16.000
Readings	1.550	3.000
1.5" Calibration:	Gain=20.000	Offset=0.800

1.5" Calibration:	Gain=20.000	Offset=0.800
	Low Cal	High Cal
References	0.000	20.000
Readings	0.000	1.216

2" Calibration:	Gain=38.000	Offset=-0.300
	Low Cal	High Cal
References	0.000	20.000
Readings	0.002	1.053

Gamma Ray Calibration Report

Serial Number:	070559	
Tool Model:	OPEN_GR	
Performed:	Sun Oct 24 12:56:47 2021	
Calibrator Value:	1.0	GAPI
Background Reading:	0.0	cps
Calibrator Reading:	1.0	cps
Sensitivity:	0.2800	GAPI/cps