



SONIC LOG

Company VINCENT OIL CORPORATION

Well LIX #1-8

Field

County FORD

State KANSAS

Location: API #: 15-057-21056-0000

1874' FNL & 1895' FEL

SEC 8 TWP 26S RGE 24W

Permanent Datum GROUND LEVEL Elevation 2532
Log Measured From KELLY BUSHING 12' A.G.L.
Drilling Measured From KELLY BUSHING

Other Services
CDL/CNL/PE
DIL/MEL

Elevation
K.B. 2544
D.F. 2542
G.L. 2532

Date 9/23/21

Run Number TWO

Depth Driller 5070

Depth Logger 5073

Bottom Logged Interval 5063

Top Log Interval 350

Casing Driller 8 5/8" @ 396

Casing Logger 396

Bit Size 7 7/8

Type Fluid in Hole CHEMICAL MUD

Density / Viscosity 9.2/60

pH / Fluid Loss 10.5/8.0

Source of Sample FLOWLINE

Rm @ Meas. Temp 1.10 @ 85F

Rmf @ Meas. Temp 0.82 @ 85F

Rmc @ Meas. Temp 1.32 @ 85F

Source of Rmf / Rmc MEASUREMENT

Rm @ BHT 0.74 @ 126F

Time Circulation Stopped 2 HOURS

Time Logger on Bottom

Maximum Recorded Temperature 126F

Equipment Number 3802

Location HAYS, KANSAS

Recorded By JASON CAPPELLUCCI

Witnessed By TOM DUDGEON

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395
DIRECTIONS
WRIGHT, KS. - 3 WEST TO RD. 114 - 1 1/2 NORTH - WEST INTO






MAIN SECTION


Database File	5856pe.db
Dataset Pathname	pass6
Presentation Format	_slt
Dataset Creation	Thu Sep 23 20:54:28 2021
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
			TBHV	0	ITT (msec)	20
			0 (ft3) 10			











1000


1050


1100

1150











1650

1700

1750

1800






1850


1900


1950


2000


2050















2950


3000

3050

3100

3150







3200


3250


3300



3350
















4300


4350

4400

4450









4750

4800

4850

4900





REPEAT SECTION

Database File 5856pe.db
 Dataset Pathname pass5.1
 Presentation Format _slt
 Dataset Creation Thu Sep 23 21:14:24 2021
 Charted by Depth in Feet scaled 1:240



