



SONIC LOG

Company THOROUGHbred ASSOCIATES, LLC.

Well MILLER FARMS #32-1

Field

County COMANCHE State KANSAS

Location: API # : 15-033-21791-0000

673' FSL & 1116' FWL

SEC 32 TWP 31S RGE 18W

Permanent Datum GROUND LEVEL Elevation 2140

Log Measured From KELLY BUSHING 11' A.G.L.

Drilling Measured From KELLY BUSHING

Other Services
CDL/CNL/PE
DIL/MEL

Elevation

K.B. 2151
D.F. 2149
G.L. 2140

Date 11/7/21

Run Number TWO

Depth Driller 6060

Depth Logger 6070

Bottom Logged Interval 6060

Top Log Interval 650

Casing Driller 8 5/8" @ 681

Casing Logger 681

Bit Size 7 7/8

Type Fluid in Hole CHEMICAL MUD

Density / Viscosity 9.3/50

pH / Fluid Loss 8.5/11.2

Source of Sample FLOWLINE

Rm @ Meas. Temp .85 @ 65F

Rmf @ Meas. Temp .63 @ 65F

Rmc @ Meas. Temp 1.02 @ 65F

Source of Rmf / Rmc MEASUREMENT

Rm @ BHT .41 @ 134F

Time Circulation Stopped 2 HOURS

Time Logger on Bottom

Maximum Recorded Temperature 134F

Equipment Number 3802

Location HAYS, KANSAS

Recorded By JASON CAPPELLUCCI

Witnessed By AARON YOUNG

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395
DIRECTIONS
COLDWATER, KS. - 2 NORTH TO AVE. F - 1 EAST - 3/4 SOUTH - WEST INTO






MAIN SECTION


Database File	5874pe.db
Dataset Pathname	pass6
Presentation Format	_slt
Dataset Creation	Mon Nov 08 01:36:44 2021
Charted by	Depth in Feet scaled 1:240


0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)		40	
6	CALIPER (in)	16	10 (ft3)	0	30	SONIC POROSITY (pu)		-10
			TBHV	0	ITT (msec)		20	
			0 (ft3)	10				












1500


1550


1600


1650


1700













2400

2450

2500

2550







2600


2650


2700


2750


2800



















3950



4000


4050


4100












4800


4850

4900

4950

5000







5050


5100

5150

5200








5450


5500


5550

5600

5650







REPEAT SECTION



REPEAT SECTION

Database File 5874pe.db
Dataset Pathname pass5.1
Presentation Format _slt
Dataset Creation Mon Nov 08 02:13:33 2021
Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
			TBHV	0	ITT (msec)	20
			0 (ft3) 10			

