

Company PALOMINO PETROLEUM
 Well WARPATH #1
 Field SPLITTER
 County TREGO State KANSAS

Location: 218' FNL & 197' FWL
 API #: 15-195-23129-0000
 Other Services
 Permanent Datum GROUND LEVEL Elevation 2440'
 Log Measured From KELLY BUSHING 7' A.G.L.
 Drilling Measured From KELLY BUSHING
 Elevation K.B. 2447'
 D.F. 2446'
 G.L. 2440'

Date NOV. 15, 2021

Run Number ONE
 Depth Driller 4485'
 Depth Logger 4420'
 Bottom Logged Interval 4419'
 Top Log Interval 3000'
 Open Hole Size 3000'
 Type Fluid WATER
 Density / Viscosity ///
 Max. Recorded Temp. 118F
 Estimated Cement Top 0
 Time Well Ready ///
 Time Logger on Bottom ///
 Equipment Number PT-06
 Location HAYS
 Recorded By BOB KLAUS
 Witnessed By JOE RUPP

Borehole Record		Tubing Record					
Run Number	Bit	From	To	Size	Weight	From	To
ONE	12.25"	0	211'	2 1/2"			
TWO	7.875"	211'	4485'	2 1/2"			

Casing Record		Surface String		Production String	
Record	Size	Wgt/Ft	Top	Bottom	
Surface String	8 5/8"		0	211'	
Production String	5 1/2"	14#	0	4470'	

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments


THANK YOU FOR USING
 PERF-TECH WIRELINE SERVICES, INC.
 785-628-3969

DIRECTIONS: ARNOLD, Ks
 WEST to H Rd, NORTH to EE Rd,
 1 WEST to 130 Rd, 2 NORTH to CC Rd,
 1/2 WEST, NORTH into

Database File: nov152109.db
 Dataset Pathname: pass3
 Presentation Format: 3x5
 Dataset Creation: Mon Nov 15 10:30:58 2021 by Log Std Casedhole 06040
 Charted by: Depth in Feet scaled 1:240

0	Gamma Ray (GAPI)	150	0	3' AMPLITUDE (mV)	100	200	5' Variable Density	1100
			475	3' TRAVEL TIME (usec)	235			
			9	Collar Locator	-1			








3200

3250

3300

3350






3400


3450

3500

3550

3600








3650




3700


3750

3800









Perf-Tech
Wireline Services, Inc.

REPEAT SECTION

Database File: nov152109.db
 Dataset Pathname: pass2
 Presentation Format: 3x5
 Dataset Creation: Mon Nov 15 10:23:44 2021 by Log Std Casedhole 06040
 Charted by: Depth in Feet scaled 1:240

