



MICRO LOG

Company	PALOMINO PETROLEUM	Company	PALOMINO PETROLEUM
Well	SKYFALL #2	Well	SKYFALL #2
Field	ALDRICH NORTHEAST	Field	ALDRICH NORTHEAST
County	NESS	County	NESS
State	KANSAS	State	KANSAS
Location:	API # : 15-135-26114-0000 2102' FSL & 1731' FEL	Other Services CDL/CNL DIL	
Permanent Datum	SEC 27 TWP 17S RGE 25W	Elevation	
Log Measured From	GROUND LEVEL Elevation	K.B. 2468	
Drilling Measured From	KELLY BUSHING 5' A.G.L. KELLY BUSHING	D.F. 2466	
		G.L. 2463	
Date	10/12/21		
Run Number	TWO		
Depth Driller	4527		
Depth Logger	4529		
Bottom Logged Interval	4527		
Top Log Interval	3500		
Casing Driller	8 5/8" @ 214		
Casing Logger	214		
Bit Size	7 7/8"		
Type Fluid in Hole	CHEMICAL MUD		
Density / Viscosity	9.2/46		
pH / Fluid Loss	9.0/12.0		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	.85@ 70F		
Rmf @ Meas. Temp	.64@ 70F		
Rmc @ Meas. Temp	1.02 @ 70F		
Source of Rmf / Rmc	MEASURED		
Rm @ BHT	.49@ 121F		
Time Circulation Stopped	2 HOURS		
Time Logger on Bottom	////		
Maximum Recorded Temperature	121F		
Equipment Number	1523		
Location	HAYS, KANSAS		
Recorded By	GUS PFANENSTIEL		
Witnessed By	RYAN SEIB		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE, HAYS, KS. (785) 628-6395


DIRECTIONS:NESS CITY WEST TO H RD., NORTH 6 MILES, 1 EAST,
SOUTH INTO.






MAIN PASS


Database File	5885ddn.db
Dataset Pathname	pass6.1
Presentation Format	_micro
Dataset Creation	Tue Oct 12 21:28:45 2021
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3)	10		











4150

4200

4250

4300









REPEAT SECTION

Database File 5885ddn.db
Dataset Pathname pass5.1
Presentation Format _micro
Dataset Creation Tue Oct 12 21:19:15 2021
Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3) 0	0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3) 10			





Calibration Report			
Database File	5885ddn.db		
Dataset Pathname	pass5.1		
Dataset Creation	Tue Oct 12 21:19:15 2021		
MICRO Calibration Report			
Serial Number:	Micro1		
Tool Model:	ProbeL		
Performed:	Thu Aug 05 13:03:33 2021		
Caliper Calibration:	Gain=2.815	Offset=7.252	
References	Low Cal	High Cal	
Readings	8.500	13.500	
	0.887	2.663	
1.5" Calibration:	Gain=36.134	Offset=-0.500	
References	Low Cal	High Cal	
Readings	0.000	20.000	
	0.004	0.832	
2" Calibration:	Gain=38.000	Offset=0.000	
References	Low Cal	High Cal	
Readings	0.000	20.000	
	0.022	0.793	
Gamma Ray Calibration Report			
Serial Number:	GR5		
Tool Model:	OPEN		
Performed:	Fri Oct 01 08:18:05 2021		
Calibrator Value:	1.0	GAPI	
Background Reading:	0.0	cps	
Calibrator Reading:	1.0	cps	
Sensitivity:	0.5500	GAPI/cps	