



MICRO LOG

Company RL INVESTMENT, LLC.

Well SMOKEY #1

Field UNNAMED

County LOGAN State KANSAS

Location: API #: 15-109-21627-0000

2305' FNL & 2015' FWL

Other Services
CDL/CNL
DIL

SEC 29 TWP 14S RGE 33W

Elevation

Permanent Datum GROUND LEVEL Elevation 2927
Log Measured From KELLY BUSHING 7' A.G.L.
Drilling Measured From KELLY BUSHING

K.B. 2934
D.F. 2932
G.L. 2927

Date 10/05/21

Run Number TWO

Depth Driller 4666

Depth Logger 4665

Bottom Logged Interval 4663

Top Log Interval 3400

Casing Driller 8 5/8" @ 214

Casing Logger 214

Bit Size 7 7/8"

Type Fluid in Hole CHEMICAL MUD

Density / Viscosity 9.2/67

pH / Fluid Loss 9.1/10.5

Source of Sample FLOWLINE

Rm @ Meas. Temp .4@ 65F

Rmf @ Meas. Temp .30@ 65F

Rmc @ Meas. Temp .48 @ 65F

Source of Rmf / Rmc MEASURED

Rm @ BHT .21 @ 122F

Time Circulation Stopped 2 HOURS

Time Logger on Bottom 1111

Maximum Recorded Temperature 122F

Equipment Number 1523

Location HAYS, KANSAS

Recorded By GUS PFANENSTIEL

Witnessed By CLAYTON ERICKSON

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE, HAYS, KS. (785) 628-6395


DIRECTIONS: MONUMENT SOUTH TO INDIAN RD., THEN 1/2 SOUTH, EAST INTO.




MAIN PASS

Database File	5880ddn.db
Dataset Pathname	pass6.1
Presentation Format	_micro
Dataset Creation	Tue Oct 05 09:02:30 2021
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3)	10		






3600


3650

3700


3750


3800







3800
3850
3900
3950
4000









0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	40
2	MINMK	20	TBHV			

0	MINMK	20	TBHV
		0 (ft3)	10





REPEAT SECTION

Database File
Dataset Pathname
Presentation Format
Dataset Creation
Charted by

5880ddn.db
pass5.1
_micro
Tue Oct 05 09:05:10 2021
Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3)	10		





Calibration Report					
Database File	5880ddn.db				
Dataset Pathname	pass5.1				
Dataset Creation	Tue Oct 05 09:05:10 2021				
MICRO Calibration Report					
Serial Number:	Micro1				
Tool Model:	Probel				
Performed:	Thu Aug 05 13:03:33 2021				
Caliper Calibration:	Gain=2.815	Offset=4.352			
References	Low Cal	High Cal			
Readings	8.500	13.500			
	0.887	2.663			
1.5" Calibration:	Gain=30.134	Offset=0.000			
References	Low Cal	High Cal			
Readings	0.000	20.000			
	0.004	0.832			
2" Calibration:	Gain=38.000	Offset=0.500			
References	Low Cal	High Cal			
Readings	0.000	20.000			
	0.022	0.793			
Gamma Ray Calibration Report					
Serial Number:	GR5				
Tool Model:	OPEN				
Performed:	Fri Oct 01 08:18:05 2021				
Calibrator Value:	1.0	GAPI			
Background Reading:	0.0	cps			
Calibrator Reading:	1.0	cps			
Sensitivity:	0.5200	GAPI/cps			