



DUAL INDUCTION LOG


Company	PALOMINO PETROLEUM, INC.	
Well	SWEET EMOTION #1	
Field	DARR CREEK NORTHWEST	
County	LANE	State KANSAS
Location:	API # : 15-101-22662-0000	Other Services CDL/CNL MEL
Permanent Datum	SEC 16 TWP 19S RGE 27W	Elevation
Log Measured From	GROUND LEVEL Elevation 2719	K.B. 2730
Drilling Measured From	KELLY BUSHING 11' A.G.L.	D.F. 2728
	KELLY BUSHING	G.L. 2719
Date	1/4/22	
Run Number	ONE	
Depth Driller	4760	
Depth Logger	4762	
Bottom Logged Interval	4760	
Top Log Interval	0	
Casing Driller	8 5/8" @ 222	
Casing Logger	222	
Bit Size	7 7/8	
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 3500PPM
Density / Viscosity	9.5@62	
pH / Fluid Loss	11.0/8.0	
Source of Sample	FLOWLINE	
Rm @ Meas. Temp	1.0@62F	
Rmf @ Meas. Temp	.75@62F	
Rmc @ Meas. Temp	1.2@62F	
Source of Rmf / Rmc	MEASUREMENT	
Rm @ BHT	.50@123F	
Time Circulation Stopped	2 HOURS	
Time Logger on Bottom	////	
Maximum Recorded Temperature	123F	
Equipment Number	3802	
Location	HAYS, KANSAS	
Recorded By	JASON CAPPELLUCCI	TJ DREILING
Witnessed By	RYAN SEIB	

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395
DIRECTIONS
WEST OF BEELER KS TO TURKEY RED RD, SOUTH TO COUNTY RD 90,
1MILE WEST, NORTH INTO




MAIN SECTION

Database File	6073ddn.db
Dataset Pathname	pass3.1
Presentation Format	_dil
Dataset Creation	Tue Jan 04 05:46:47 2022
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	0.2	SHALLOW GUARD (Ohm-m)	2000
-100	SP (mV)	100	0.2	MEDIUM INDUCTION (Ohm-m)	2000
-250	Rxo/Rt	50	0.2	DEEP INDUCTION (Ohm-m)	2000






3900


3950

4000

4050

4100







4150

4200

4250

4300







4350

4400

4450

4500





4550

4600

4650

4700

4750

