



**GAMMA RAY
CCL/RADIAL
CEMENT BOND
LOG**

Company	JONES OIL EXPLORATION, LLC	Location:	SEC 25 TWP 33S RGE 10E	API #:	15-019-277709-00-00	Other Services	
Well	BUTCHER #32	Permanent Datum	GL	Elevation	940'	K.B. ---	
Field	PERU-SEDAN	Log Measured From	GL	D.F. ---		G.L. 940'	
County	CHAUTAUQUA	Drilling Measured From	GL				
State	KANSAS						

Run Number	Bit	From	To	Size	Weight	From	To
Borehole Record							
1				4.5"			
Tubing Record							
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
41							
42							
43							
44							
45							
46							
47							
48							
49							
50							
51							
52							
53							
54							
55							
56							
57							
58							
59							
60							

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

**FILE # 5941 RBL OWE JONES OIL BUTCHER #32
CREW: R. KIDD, T. FERGUSON T. LUNN**



GR/CCL/RADIAL BOND LOG


Database File 5941 rbl ow3 jones oil butcher #32.db
 Dataset Pathname pass1
 Presentation Format 0w4 crbt
 Dataset Creation Mon Oct 18 08:45:12 2021
 Charted by Depth in Feet scaled 1:240


60 Casing Collar-6.5	Pipe Bond	0	Sector 1	100	Variable Density	1	Radial Map	8
Gamma Ray	(mV)	100	Sector 2	100	(usec)	1200		
(GAPI) 150	Pipe Bond x5	0	Sector 3	100				
	(mV)	30	Sector 4	100				
	Travel Time	0	Sector 5	100				
	(usec)	220	Sector 6	100				

Gamma Ray
(GAPI) 150

0	(mv)	100	0	Sector 2	100
	Pipe Bond x5		0	Sector 3	100
0	(mv)	30	0	Sector 4	100
	Travel Time		0	Sector 5	100
1000	(usec)	220	0	Sector 6	100
			0	Sector 7	100
			0	Sector 8	100

200 (usec) 1200







250


300

350



400




450







500
550
600
650
700









60	Casing Collar-6.5	Pipe Bond	0	Sector 1	100	Variable Density	1	Radial Map	8
	Gamma Ray	(mV)	100	Sector 2	100	(usec)	200		
0	(GAPI)	150		Sector 3	100				
		Pipe Bond x5	0	Sector 4	100				
		(mV)	30	Sector 5	100				
		Travel Time	0	Sector 6	100				
		(usec)	220	Sector 7	100				
				Sector 8	100				

Sensor	Offset (ft)	Schematic	Description	Length (ft)	O.D. (in)	Weight (lb)
			CENT-SDSCENT Centralizer	3.00	3.25	20.00
			CHD-STNDRD Standard Cable Head	1.00	1.69	10.00
WVFS8 WVFS7	11.73 11.73		RBT-Probe (070566) Prototype Probe Radii Bond Tool with Digital Telemetry	8.75	2.75	90.00